A COLLECTION FROM

LUMIBRIGHT™

INSPIRED BY LIGHT



INDOOR

LIGHTS

LOOK BOOK VERSION 2.0

UAE صنع في الإمارات MADE IN UAE

10 YEARS WARRANTY

About us

A Vertically Integrated Global Manufacturer Of Energy-saving, Smart Led Lighting Solutions Across All Elements Of Lighting: Power, Control, Lamps And Luminaries. Founded In 2006 In The Uk With A Passionate, Dedicated Team And A Longstanding East-west Partnership With Global Infrastructure. Having Adopted The Principle To Thrive And A Clear Understanding Of Brand And Quality, Coupled With Continuous Development, Customized Service To Suit, High Level Design Lumibright Has The Power To Transform Lives By Providing Lighting Solutions That Contribute To A Healthier, Sustainable Environment. With Over 4000 Products, We Cover All Aspects Of Commercial And Domestic Lighting, Including Down Lights, Bathroom Lighting, Spotlights, Exterior Lighting And Much More. A Truly Diverse Choice, From Cutting Edge, Minimalistic To Elegant Classics Providing A Complete Lighting Solution.

All Lumibright Products Comply With Current Regulations Including Ce, Selv, Ul, Intertek, Lvd, Pct, Gs, Erp, Emc And Enec Certification Allowing All Our Customers To Feel Secure In The Knowledge That They Are Purchasing Reliable And Safe Products. This Is Enforced By Our 5 Year International Warranty.

We are.

Lumibright" Part Of The Inspired Holding Group Of Companies A Vertically Integrated Global Manufacturer Of Energy-saving, Smart Led Lighting Solutions Across All Elements Of Lighting: Power, Control, Lamps And Luminaries. Founded In 2006 In The Uk With A Passionate, Dedicated Team And A Longstanding East-west Partnership With Global Infrastructure. Having Adopted The Principle To Thrive And A Clear Understanding Of Brand And Quality, Coupled With Continuous Development, Customized Service To Suit, High Level Design Lumibright Has The Power To Transform Lives By Providing Lighting Solutions That Contribute To A Healthier, Sustainable Environment. Our Commitment Is To Deliver New Lighting Technologies, As Well As Innovative And Locally Relevant Consumer Products, That Will Make A Real Difference To Our Customers, Consumers And Stakeholders Across The Globe. We Believe The Best Way To Do This Is Through Deep Understanding Of People's Needs And Desires. Over The Past Decade Led Technology Has Seen Some Of The Most Exciting Ground Breaking Developments To Hit The Lighting Market And We Have Been There From The Beginning, Which Has Been Fantastic News For Us Allowing Us To Take Advantage And Utilize Technology To Create Even More Elaborate Lighting Designs. With Over 4000 Products, We Cover All Aspects Of Commercial And Domestic Lighting, Including Down Lights, Bathroom Lighting, Spotlights, Exterior Lighting And Much More. A Truly Diverse Choice, From Cutting Edge, Minimalistic To Elegant Classics Providing A Complete Lighting Solution.

TUBE



LBP1003

POWER: 35W
INPUT: 220-240VAC
LUMEN : 4000lm
DIM: Ø90 X 200 MM
BEAM: 15°/24°/36°/60°
CRI:>80
IP RATING: IP 20

LBP1007

POWER: 35W
INPUT: 220-240VAC
LUMEN : 3500lm
DIM: Ø90 X 200 MM
BEAM: 15°/24°/36°/60°
CRI:>80
IP RATING: IP 20

Available CCT

2700K, 3000K, 4000K, 5000K, 6000K

Available Finishes

White/Black

Application

Shopping Mall, Supermarket, Musem, Office, Clothes Store.

LUMIBRIGHT™
INSPIRED BY LIGHT

TUBE



LBP1006

POWER: 20W
INPUT: 220-240VAC
LUMEN : 2200lm
DIM: Ø80 x H155mm
BEAM: 15°/24°/36°/60°
CRI:>80
IP RATING: IP 20

LBP1027

POWER: 20W
INPUT: 220-240VAC
LUMEN : 2500-2600lm
DIM: Ø80 x H155mm
BEAM: 15°/24°/36°/60°
CRI:>80
IP RATING: IP 20

LBP1028

POWER: 10W
INPUT: 220-240VAC
LUMEN : 100-110lm/W
DIM: Ø80 x H155mm
BEAM: 15°/24°/36°/60°
CRI:>80
IP RATING: IP 20
Function : Dali

Available CCT

2700K, 3000K, 4000K, 5000K, 6000K

Available Finishes

White/Black

Application

Shopping Mall, Supermarket, Musem, Office, Clothes Store.

LUMIBRIGHT™
INSPIRED BY LIGHT



SCHALTEN

LUMIBRIGHT
INSPIRED BY LIGHT

SCHALTEN



LBP1009

POWER: 28W
INPUT: 100-240VAC
LUMEN : 2000LM
DIM: Φ100*79*157MM
BEAM: 90°/ 350°
CRI: >80/90
IP RATING: IP 20

LBP1010

POWER: 20W
INPUT: 100-240VAC
LUMEN : 1800LM
DIM: Φ100*70*169MM
BEAM: 15°/24°/36°/60°/75°
CRI: >80+/90+
IP RATING: IP 20

LBP1011

POWER: 28W
INPUT: 100-240VAC
LUMEN : 2520LM
DIM: D94X190MM
BEAM: 15°/24°/36°/
CRI: >80+/90+
IP RATING: IP 20

Available CCT

2700K, 3000K, 4000K, 5000K, 6000K

Available Finishes

White/Black

Application

Exhibitions, For Shops, For Public Buildings





LUMIBRIGHT™
INSPIRED BY LIGHT

SCHALTEN

LBP1013

POWER: 14W
INPUT: 220-240VAC
LUMEN : 350MA
DIM: 1074-1304LM
BEAM: 20°-55°
CRI: >80+/90+
IP RATING: IP 20

LBP1014

POWER: 24W
INPUT: 220-240VAC
LUMEN : 1717-2128LM
DIM: 1074-1304LM
BEAM: 20°-55°
CRI: >80+/90+
IP RATING: IP 20

LBP1015

POWER: 32W
INPUT: 100-240VAC
LUMEN : 2022-2577LM
DIM: ΦΦ64XH182MM
BEAM: 16°-42°
CRI: >80+/90+
IP RATING: IP 20



Available CCT

2700K, 3000K, 4000K, 5000K, 6000K

Available Finishes

White/Black

Application

Ideal For Retail Shops, Hotels, Museums, Restaurant, Art Galleries, Showroom, And Other Commercial Lighting Like Fashion Stores, Shopping Malls, Supermarkets, Exhibitions, Etc

LUMIBRIGHT™
INSPIRED BY LIGHT

ASTRO



LBP1022

POWER: 7W
INPUT: AC220-240V ,50/60HZ
LUMEN : 80-90lm/W
DIM: Ø35xH176mm
BEAM: 15/24/36°
CRI: >90
IP RATING: IP 20

LBP1023

POWER: 12W
INPUT: AC220-240V ,50/60HZ
LUMEN : 80-90lm/W
DIM: Ø55xH188mm
BEAM: 15/24/36°
CRI: >90
IP RATING: IP 20

Available CCT

3000K, 4000K, 6000K

Available Finishes

White/Black/Gold

Application

Residential, Hotels, Offices And Commercial Establishments.

LUMIBRIGHT™
INSPIRED BY LIGHT

TUBE





LBP1001

POWER: 20W
INPUT: 220-240VAC
DIM: Ø85 X 312 MM
BEAM: 12°/24°/36°/45°/60°
CRI: >90
IP RATING: IP 20

LBP1002

POWER: 32W
INPUT: 220-240VAC
DIM: Ø85 X 312 MM
BEAM: 12°/24°/36°/45°/60°
CRI: >90
IP RATING: IP 20

Available CCT

2700K/3000K/4000K/5000K/6000K

Available Finishes

White with sand/Black with sand

Application

Ideal For Retail Shops, Hotels, Museums, Restaurant, Art Galleries, Showroom, And Other Commercial Lighting Like Fashion Stores, Shopping Malls, Supermarkets, Exhibitions, Etc

LUMIBRIGHT™
INSPIRED BY LIGHT

ZEAL



LBP1024

POWER: 10W
INPUT: 220-240V
LUMEN : 1200-1500lm
DIM: Ø65xH115mm
BEAM: 38°
CRI: >90
IP RATING: IP 20

Available CCT

3000K/4000K/6000K

Available Finishes

White/Black

Application

Ideal For Retail Shops, Hotels, Museums, Restaurant, Art Galleries, Showroom, And Other Commercial Lighting Like Fashion Stores, Shopping Malls, Supermarkets, Exhibitions, Etc

LUMIBRIGHT™
INSPIRED BY LIGHT

ASTRO



LBE1001

POWER: 10W
INPUT: 85-265VAC 50-60Hz
LUMEN : 250mA 36VDC
DIM: Ø45x100MM
BEAM: 15°,24°,36°,50°
CRI: >90
IP RATING: IP 20

LBE1002

POWER: 15W
INPUT: 220-240VAC
LUMEN : 350mA 36VDC
DIM: Ø54x113mm
BEAM: 15°,24°,36°,50°
CRI: >90
IP RATING: IP 20

LBE1003

POWER: 20W
INPUT: 220-240VAC
LUMEN : 500mA 36VDC
DIM: Ø62x130mm
BEAM: 15°,24°,36°,50°
CRI: >90
IP RATING: IP 20

Available CCT

3000K/4000K/6000K

Available Finishes

White/Black

Application

Art Galleries,Showroom, And Other Commercial Lighting Like Fashion Stores, Shopping Malls, Supermarkets, Etc

LUMIBRIGHT™
INSPIRED BY LIGHT


ASTRO
LUMIBRIGHT
INSPIRED BY LIGHT

ARCHIVES



LBP1029

POWER: 18W
INPUT: 220-240VAC
DIM: Ø125*90mm
BEAM: 100°
CRI: >95°
IP RATING: IP 20

LBP1030

POWER: 18W
INPUT: 220-240VAC
DIM: Ø125*90mm
BEAM: 36°
CRI: >95°
IP RATING: IP 20

Available CCT

2700K/3000K/4000K/5000K/6000K

Available Finishes

White/Black

Application

Jewelry, Clothing stores, Furniture stores, Galleries, Household, Exhibition hall, Hotel, recreational space, etc.

LUMIBRIGHT™
INSPIRED BY LIGHT


ARCHIVES
LUMIBRIGHT
INSPIRED BY LIGHT

BELENOS





LBP1004

POWER: 40W
INPUT: 220-240VAC
LUMEN : 90-100LM/W
DIM: Ø100XL180XH208MM
BEAM: 15°/24°/36°/45°/60°
CRI: >80
IP RATING: IP 20

LBP1021

POWER: 9W
INPUT: 12VDC
LUMEN : 600lm
DIM: Ø73x170x250mm
BEAM: 38°
CRI: >80
IP RATING: IP 20

Available CCT

3000K/4000K/5000K/6000K

Available Finishes

White/Black/Gold

Application

Clothing stores, Furniture stores, Galleries, Household, Exhibition hall, Hotel, recreational space, etc.

LUMIBRIGHT™
INSPIRED BY LIGHT

ZEPLIN



LBP1012

POWER: 30W
INPUT: 220-240VAC
LUMEN : 3600LM
DIM: 269X70X70X121
BEAM: 15°/24°/36°/60°/75°
CRI: >80+/90+
IP RATING: IP 20



Available CCT

2700K/3000K/4000K/5000K/6000K

Available Finishes

PAB/PAW

Application

Shopping Mall, Supermarket, Musem, Office, Clothes Store.

LUMIBRIGHT™
INSPIRED BY LIGHT

TUBE





LBE1005

POWER: 40W
INPUT: 220-240VAC
LUMEN : 90-100LM/W
DIM: D94X190MM
BEAM: 36°
CRI: >80
IP RATING: IP 20

Available CCT

3000K/4000K/5000K/6000K

Available Finishes

White

Application

Art Galleries,Showroom, And Other Commercial Lighting Like Fashion Stores, Shopping Malls, Supermarkets, Etc

LUMIBRIGHT™
INSPIRED BY LIGHT

TUBE

LBE1004

POWER: 30W
INPUT: 220-240VAC
LUMEN : 110-120lm/W
DIM: Ø80X170MM
BEAM: 24°/38°/60°
CRI: >90+
IP RATING: IP 20





Available CCT

2700K/3000K/4000K/5000K

Available Finishes

Black/White

Application

Shopping Mall, Supermarket, Musem, Office, Clothes Store.

LUMIBRIGHT™
INSPIRED BY LIGHT

TUBE-DA





LBP1016

POWER: 20W
INPUT: 220-240VAC
LUMEN : 100LM/W
DIM: Ø80X155MM
BEAM: 24°/38°/60°
CRI: >80+
IP RATING: IP 20

Available CCT

2700K/3000K/4000K/5000K/6000K

Available Finishes

White/Black

Application

Clothing stores, Furniture stores, Museums and Galleries

LUMIBRIGHT™
INSPIRED BY LIGHT



LATEN

LBS1001

POWER: 10W
INPUT: 220-240VAC 50/60Hz
LUMEN : 80lm/W
DIM: Ø55xH140mm
BEAM: 15°/24°/38°
CRI: >80+90
IP RATING: IP 20

Available CCT


2700K,3000K,4000K,5000K

Available Finishes

PAW,PAB

Application

Room, Decoration, Retail Store



LUMIBRIGHT™
INSPIRED BY LIGHT


RITTER

LBE2021
POWER: 9W
INPUT: 220-240VAC
LUMEN : 430lm
BEAM: 24°/36°
DIM: 99x99xH110mm
CRI: >90
IP RATING: IP 20

LBE2022
POWER: 2x9W
INPUT: 220-240VAC
LUMEN : 860lm
DIM: 99x198x110mm
BEAM: 24°/36°
CRI: >90
IP RATING: IP 20

LBE2023
POWER: 3x9W
INPUT: 220-240VAC
LUMEN : 1290lm
DIM: 99x298x110mm
BEAM: 24°/36°
CRI: >90
IP RATING: IP 20

LBE2024
POWER: 4x9W
INPUT: 220-240VAC
LUMEN : 1720lm
DIM: 198x198x110mm
BEAM: 24°/36°
CRI: >90
IP RATING: IP 20



Available CCT
2700K,3000K,4000K,5000K

Available Finishes
White/Black

Application
Living Room, Kitchen, Bedroom, Hallway

LUMIBRIGHT™
INSPIRED BY LIGHT


LUMIBRIGHT
INSPIRED BY LIGHT

ENDOR





LBE2000

POWER: 8W
INPUT: 220-240VAC
LUMEN : 380lm
DIM: Ø63x65mm
BEAM: 10°/24°/36°/50°
CRI: >90°
IP RATING: IP 20



LBE2001

POWER: 8W
INPUT: 220-240VAC
LUMEN: 380lm
BEAM: 10°/24°/36°/50°
DIM: Ø63x65mm
CRI: >90
IP RATING: IP 20

Available CCT

2700K,3000K,4000K,5000K

Available Finishes

White+Black

Application

Room, Decoration, Retail Store



LUMIBRIGHT™
INSPIRED BY LIGHT

RAYOS

LBE2010

POWER: 9W
INPUT: 220-240VAC
LUMEN : 430lm
DIM: Ø105x65mm
BEAM: 24°/36°
CRI: >90
IP RATING: IP 20





Available CCT

3000k,4000K,6000K

Available Finishes

White/Black

Application

Retails, Department Stores, Shopping malls, Residential

LUMIBRIGHT™
INSPIRED BY LIGHT

RAYOS




LBE2011

POWER: 9W
INPUT: 220-240VAC 50/60Hz
LUMEN : 430lm
DIM: 90x90x65mm
BEAM: 24°/36°
CRI: >90
IP RATING: IP 20



LBE2012

POWER: 2x9W
INPUT: 220-240VAC
LUMEN : 860lm
BEAM : 24°/36°
DIM: 180x90x65mm
CRI: >90
IP RATING: IP 20



LBE2013

POWER: 3x9W
INPUT: 220-240VAC
LUMEN: 1290lm
BEAM: 24°/36°
DIM: 270x90x65mm
CRI: >90
IP RATING: IP 20



LBE2014

POWER: 4x9W
INPUT: 220-240VAC
LUMEN: 1720lm
BEAM: 24°/36°
DIM: 180x180x65mm
CRI: >90
IP RATING: IP20

LBE2017

POWER: 12W
INPUT: 220-240VAC
LUMEN : 700lm
DIM: 90x90x65mm
BEAM: 24°/36°
CRI: >90
IP RATING: IP 20

LBE2018

POWER: 2x12W
INPUT: 220-240VAC
LUMEN : 1400lm
BEAM : 24°/36°
DIM: 180x90x65mm
CRI: >90
IP RATING: IP 20

LBE2019

POWER: 3x12W
INPUT: 220-240VAC
LUMEN: 2100lm
BEAM: 24°/36°
DIM: 270x90x65mm
CRI: >90
IP RATING: IP 20

LBE2020

POWER: 4x12W
INPUT: 220-240VAC
LUMEN: 2800lm
BEAM: 24°/36°
DIM: 180x180x65mm
CRI: >90
IP RATING: IP20

Available CCT

3000k,4000K,6000K


Available Finishes

White/Black

Application

Hotels, Department Stores, Shopping malls

LUMIBRIGHT™
INSPIRED BY LIGHT



ORVILLE


LB2943
POWER: 2W
INPUT: 350mA 9V
DIM: 45x45x49mm
BEAM: 15°,24°,36°
CRI: >90
IP RATING: IP 20

LB2944
POWER: 2x2W(4W)
INPUT: 350mA 9V
DIM: 45x45x49mm
BEAM: 15°,24°,36°
CRI: >90
IP RATING: IP 20

LB2945
POWER: 5x2W(10W)
INPUT: 220-240VAC
DIM: 147x45x49mm
BEAM: 15°,24°,36°
CRI: >90
IP RATING: IP 20

LB2946
POWER: 20W
INPUT: 500mA 36V
BEAM: 15°,24°,36°
DIM: 280x45x49mm
CRI: >90
IP RATING: IP 20

LB2947
POWER: 30W
INPUT: 500mA 36V
BEAM: 15°,24°,36
DIM: 413x45x49mm
CRI: >90
IP RATING: IP20



Available CCT

2700K,3000K,4000K,6000K

Available Finishes

White+Mirror Black

Application

Living Room, Kitchen, Bedroom, Hallway

LUMIBRIGHT™
INSPIRED BY LIGHT


LUMIBRIGHT™
INSPIRED BY LIGHT

SENSE



LBP1005

POWER: 20W
INPUT: 220-240VAC
LUMEN : 2200lm
DIM: Ø78*H100mm
BEAM: 90°-60°
CRI: 80+/90+
IP RATING: IP 20

Available CCT

2700K/3000K//3500K/4000K

Available Finishes

PAB/PAW/PSV

Application

Workshop, Jewelry, Clothing stores, furniture stores

LUMIBRIGHT™
INSPIRED BY LIGHT



CRANE



LBS1002

POWER: 30W
INPUT: 220-240VAC 50/60Hz
LUMEN : 75-89lm/W
DIM: Ø55xH140mm
BEAM: 20°-60°
CRI: >90
IP RATING: IP 20

Available CCT

2700K,3500K,4500K,5700K

Available Finishes

White/Black

Application

Hotels, Department Stores, Office, Home, Art Galleries, Entertainment Place Etc

LUMIBRIGHT™
INSPIRED BY LIGHT

OVEGA PRO



LBP1025

POWER: 18W
INPUT: 220-240VAC
LUMEN : 3600LM
DIM: Ø35x135mm
BEAM: Zoomable 15-55°
CRI: >90
IP RATING: IP 20

Available CCT

2700K,3500K,4500K,5700K

Available Finishes

White/Black

Application

Hotels, Department Stores, Shopping malls

LUMIBRIGHT™
INSPIRED BY LIGHT

TUBE

LBP1017

POWER: 30W
INPUT: 220-240VAC
LUMEN : 75LM/W
DIM: Ø80XH162MM
BEAM: 15°/24°/36°/60°/75°
CRI: >80
IP RATING: IP 20





Available CCT

2700K/3000K/4000K/5000K/6000K

Available Finishes

white+Mirror Black

Application

Clothing stores, Furniture stores, Museums and Galleries

LUMIBRIGHT™
INSPIRED BY LIGHT

TUBE



LBP1020

POWER: 30W
INPUT: 220-240VAC 50/60Hz
LUMEN : 100-110lm/W
DIM: Ø75x180x196mm
BEAM: 15°,24°,36°
CRI: >80,>90
IP RATING: IP 20

Available CCT

2700K,3000K,4000K,5000K

Available Finishes


white, Black

Application

Residential And Commercial

LUMIBRIGHT™
INSPIRED BY LIGHT

ENDOR





LBE2002
POWER: 8W
INPUT: 220-240VAC
LUMEN: 380lm
BEAM: 10°/24°/36°/50°
DIM: Ø53x65mm
CRI: >90
IP RATING: IP20



LBE2003
POWER:8W
INPUT: 220-240VAC
LUMEN : 380lm
BEAM: 10°/24°/36°/50°
DIM: Ø77x65mm
CRI: >90
IP RATING: IP 20



LBE2004
POWER: 8W
INPUT: 220-240VAC
LUMEN : 380lm
DIM: Ø63x65mm
BEAM: 10°/24°/36°/50°
CRI: >90
IP RATING: IP 20



LBE2005
POWER:9W
INPUT: 220-240VAC
LUMEN : 400lm
BEAM: 10°/24°/36°/50°
DIM: Ø80x65mm
CRI: >90
IP RATING: IP 20



CYLO

LBE2006

POWER: 9W
INPUT: 220-240VAC
LUMEN : 400lm
BEAM : 15°/24°/36°
DIM: Ø83x104mm
CRI: >90
IP RATING: IP 20

LBE2007

POWER: 9W
INPUT: 220-240VAC
LUMEN : 400lm
BEAM : 15°/24°/36°
DIM: Ø74x137mm
CRI: >90
IP RATING: IP 20

LBE2039

POWER: 12W
INPUT: 300mA 36VDC
LUMEN : 430lm
DIM: Ø83x137mm
BEAM: 15°,24°,36°
CRI: >90
IP RATING: IP 20



Available CCT

2700K,3000K,4000K,5000K

Available Finishes

White/Black

Application

Hotels, Department Stores, Shopping malls

LUMIBRIGHT™
INSPIRED BY LIGHT

RAYOS







LBE2008

POWER: 7W
INPUT: 220-240VAC
LUMEN: 330lm
BEAM: 24°/36°
DIM: Ø65x55mm
CRI: >90
IP RATING: IP20

LBE2009

POWER: 9W
INPUT: 220-240VAC
LUMEN : 430lm
BEAM: 24°/36°
DIM: Ø85x65mm
CRI: >90
IP RATING: IP 20

LBE2015

POWER: 12W
INPUT: 220-240VAC
LUMEN : 700lm
BEAM: 24°/36°
DIM: Ø85x75mm
CRI: >90
IP RATING: IP 20

Available CCT

3000k,4000K,6000K

Available Finishes

White/Black

Application

Hotels, Department Stores, Shopping malls

LUMIBRIGHT™
INSPIRED BY LIGHT

TILT



LBE2037

POWER: 12W
INPUT: 220-240VAC 50/60HZ
LUMEN :
DIM: Ø70x185mm
BEAM: 15°,24°,36°
CRI: >90
IP RATING: IP 20

Available CCT

3000K,4000K,6000K

Available Finishes

White+Mirror White

Application

Modern Office Commercial Shop Store Hotel

LUMIBRIGHT™
INSPIRED BY LIGHT


SOME
THINGS
TAKE
TIME

ASTRO



LBE2025

POWER: 10W
INPUT: 85-265VAC 50-60Hz
BEAM : 15°,24°,36°,50°
DIM: Ø45x100mm
CRI: >90
IP RATING: IP 20

LBE2026

POWER: 15W
INPUT: 220-240VAC
BEAM: 15°,24°,36°,50°
DIM: Ø54x113mm
CRI: >90
IP RATING: IP 20

Available CCT

3000K,4000K,6000K

Available Finishes

Golden+Black

Application

Hotels, Department Stores, Shopping malls, Residence

LUMIBRIGHT™
INSPIRED BY LIGHT



ASTRO



LBE2027

POWER: 10W
INPUT: 85-265VAC 50-60Hz
BEAM: 15°,24°,36°,50°
FINISH : BLACK
DIM: Ø45x100mm
CRI: >90
IP RATING: IP20

LBE2028

POWER: 20W
INPUT: 220-240VAC 50-60Hz
BEAM: 15°,24°,36°,50°
FINISH : WHITE
DIM: Ø62x130mm
CRI: >90
IP RATING: IP 20

Available CCT

3000K,4000K,6000K

Available Finishes

Black/White

Application

Art gallaries, Department Stores, Shopping malls

LUMIBRIGHT™
INSPIRED BY LIGHT

CACIA







LBE2035

POWER: 6W
INPUT: 150mA 36VDC
DIM: Ø90xH165mm
BEAM: 15°,25°,38°,50°
CRI: >90
IP RATING: IP 20

LBE2036

POWER: 6W
INPUT: 220-240VAC 50/60HZ
BEAM: 15°,24°,36°
DIM: Ø110xH195mm
CRI: >90
IP RATING: IP 20

Available CCT

3000k,4000K,6000K

Available Finishes

White+Mirror White

Application

Hotels, Department Stores, Shopping malls

LUMIBRIGHT™
INSPIRED BY LIGHT

CRANE



LB2953
POWER: 5W
INPUT: 220-240VAC
BEAM: 24°
DIM: Ø25xH300mm
CRI: >90
IP RATING: IP20

LB2954
POWER: 7W
INPUT: 220-240VAC
LUMEN : 80-85lm/W
BEAM: 24°
DIM: Ø25xH200mm
CRI: >90
IP RATING: IP 20

LB2955
POWER: 7W
INPUT: 220-240VAC
BEAM : 24°
LUMEN : 80-85lm/W
DIM: Ø25xH300mm
CRI: >90
IP RATING: IP 20

LB2957
POWER: 12W
INPUT: 36VDC 300mA
LUMEN : 430lm
DIM: Ø72xH54mm
BEAM: 15°,25°,38°,50°
CRI: >90
IP RATING: IP 20

LB2956
POWER: 9W
INPUT: 220-240VAC
LUMEN : 80-85lm/W
DIM: Ø25xH200mm
BEAM: 24°
CRI: >90
IP RATING: IP 20

Available CCT
2700K/3000K/4000K/6000K

Available Finishes
White/Black

Application
Hotels, Department Stores, Office, Home, Art Galleries, Entertainment Place Etc

LUMIBRIGHT™
INSPIRED BY LIGHT

CRANE



LB2950

POWER: 3W
INPUT: 220-240VAC
LUMEN : 80-85lm/W
DIM: Ø25xH200mm
BEAM: 24°
CRI: >90
IP RATING: IP 20

LB2951

POWER: 5W
INPUT: 220-240VAC
LUMEN : 80-85lm/W
DIM: Ø25xH100mm
BEAM: 24°
CRI: >90
IP RATING: IP 20

LB2952

POWER: 5W
INPUT: 220-240VAC
LUMEN : 80-85lm/W
BEAM: 24°
DIM: Ø25xH200mm
CRI: >90
IP RATING: IP 20

Available CCT

2700K/3000K/4000K/6000K

Available Finishes

White/Black

Application

Hotels, Department Stores, Office, Home, Art Galleries, Entertainment Place Etc

LUMIBRIGHT™
INSPIRED BY LIGHT

MILIAN

LBP1026

POWER: 30W,40W,50W
INPUT: 110-277VAC
LUMEN : 1717-2128LM
DIM: 237x64x198mm
BEAM: 90°-60°
CRI: >90
IP RATING: IP 20





Available CCT

3000K,4000K,6000K

Available Finishes

Golden+Black

Application

Hotels, Department Stores, Shopping malls

LUMIBRIGHT™
INSPIRED BY LIGHT

FIESTA



LBE2033

POWER: 7W
INPUT: 100-265VAC 50/60HZ
BEAM : 15°,24°,36°
FINISH : Golden+Mirror Black
DIM: Ø82xH62mm
CRI: >90
IP RATING: IP 20

LBE2034

POWER: 12W
INPUT: 100-265VAC 50/60HZ
BEAM: 15°,24°,36°
Finish: White+Mirror Black
DIM: Ø90xH73mm
CRI: >90
IP RATING: IP 20

Available CCT

2700K,3000K,4000K,5500K

Available Finishes

White/Black

Application

Residential , Retail store

LUMIBRIGHT™
INSPIRED BY LIGHT

RAYOS



LBE2029

POWER: 12W
INPUT: 36VDC 300mA
LUMEN : 430lm
DIM: Ø72xH54mm
BEAM: 15°,25°,38°,50°
CRI: >90
IP RATING: IP 20

Available CCT

3000k,4000K,6000K

Available Finishes

White/Black

Application

Hotels, Department Stores, Shopping malls

LUMIBRIGHT™
INSPIRED BY LIGHT

CITRA



LBE2032

POWER: 15W
INPUT: 36VDC 350mA
LUMEN : 430lm
DIM: Ø82xH92mm
BEAM: 12°,25°,38°
CRI: >90
IP RATING: IP 20

Available CCT

2700K,3000K,4000K,5500K

Available Finishes

White

Application

Hotels, Department Stores, Shopping malls

LUMIBRIGHT™
INSPIRED BY LIGHT



ARCHIVES



LB2963

POWER: 18W
INPUT: 220-240VAC
BEAM : 105°
DIM: Ø45x100mm
CRI: >90
IP RATING: IP 20

Available CCT

3000K,4000K,6000K

Available Finishes

Black/White

Application

Retail & showroms

LUMIBRIGHT™
INSPIRED BY LIGHT

UNIQUE

LB2958

POWER: 10W
INPUT: 220VAC
LUMEN : 80lm/W
BEAM: 36°
DIM: Ø90xH82mm
CRI: >90
IP RATING: IP 20





Available CCT

4000K

Available Finishes

Black

Application

Daylight, Foyer, Bathroom, Bedroom, Study, Kitchen, Dining room

LUMIBRIGHT™
INSPIRED BY LIGHT

FILLY





LB2960

POWER: :2x9W
INPUT: 220-240VAC
LUMEN : 1620LM
BEAM: 38°
DIM: 85x170xH46mm
CRI: >90
IP RATING: IP 20

Available CCT

3000K

Available Finishes

White

Application

Hotels, Department Stores, Shopping malls

LUMIBRIGHT™
INSPIRED BY LIGHT

GLOIRE

LB2959

POWER: 18W
INPUT: 220-240VAC
BEAM: 24°
DIM: Ø106xH92mm
CRI: >80,90
IP RATING: IP20



Available CCT

3000K,6500K,3500K

Available Finishes

White+Matt White


Application

Retail & showroms

LUMIBRIGHT™
INSPIRED BY LIGHT

GLOIRE





LBE2017

POWER: 12W
INPUT: 220-240VAC
LUMEN : 700lm
DIM: 90x90x65mm
BEAM: 24°/36°
CRI: >90
IP RATING: IP 20

Available CCT

2700K,3000K,4000K,5000K

Available Finishes

White/Black

Application

Hotels, Department Stores, Shopping malls

LUMIBRIGHT™
INSPIRED BY LIGHT

ABAJO



LB2949

POWER: 30W
INPUT: 220-250VAC
BEAM : 40°
LUMEN : 90-100lm/W
DIM: Ø140x162mm
CRI: >80
IP RATING: IP65

Available CCT

3000K

Available Finishes

White/Black

Application

Meeting Room, Store, Super Market, Office, Store, Exhibition, Dance Halls, Bars, Kitchen, Parlor, Bedroom

LUMIBRIGHT™
INSPIRED BY LIGHT

EVO



LB2948

POWER: 8W
INPUT: 220-240VAC
LUMEN : 80-85lm/W
BEAM: 24°
DIM: Ø25xH200mm
CRI: >90
IP RATING: IP 20



Available CCT

3000K

Available Finishes

White/Black

Application

Hotels, Department Stores, Shopping malls

LUMIBRIGHT™
INSPIRED BY LIGHT



EVO



LBP1018

POWER: 20W
INPUT: 220-240VAC
LUMEN : 90-100lm/W
DIM: 74x170mm
BEAM: 24°
CRI: >80+/90+
IP RATING: IP 20

Available CCT

3000K

Available Finishes

White/Black

Application

Meeting Room, Store, Super Market, Office, Store, Exhibition, Bars, Kitchen, Parlor, Bedroom

LUMIBRIGHT™
INSPIRED BY LIGHT

MILIAN





LBP1019

POWER: 27W
INPUT: 200-240VAC
LUMEN : 3600LM
DIM: 292x60x148MM
BEAM: 60°x90°
CRI: >80+
IP RATING: IP 20

Available CCT

3000K,4000K,5000K

Available Finishes

Black

Application

Store, Super Market, Office, Store, Exhibition

LUMIBRIGHT™
INSPIRED BY LIGHT

REGOLARE

LB2805

POWER: 7W
INPUT: 180mA/28-56VDC
LUMEN : 560-630lm
BEAM ANGLE : 15°,24°,36°
DIM: Ø72x100mm
CRI: >80+
IP RATING: IP 20





Available CCT

2700K,3000K,4000K,5700K

Available Finishes

White, Black

Application

Hotels, Department Stores, Shopping malls

LUMIBRIGHT™
INSPIRED BY LIGHT



FIORD





LB2807

POWER: 10W/15W
INPUT: 500mA/700mA, 18VDC
LUMEN : 903 lm/1553 lm
BEAM ANGLE : 24°/32°/50°
DIM: Ø90x40mm
CRI: 90
IP RATING: IP44

Available CCT

2700K,3000K,4000K,5000K,6000K

Available Finishes

White, Black

Application

Retail & showroms

LUMIBRIGHT™
INSPIRED BY LIGHT

G PRO

LB2810

POWER: 10W/15W
INPUT: 220-240VAC
LUMEN : 90-100lm/W
BEAM ANGLE : 15°,24°,38°,60°
DIM: Ø140x115mm
CRI: >80,>90
IP RATING: IP20

Available CCT

2700K,3000K,4000K,5000K


Available Finishes

White

Application

Retail & showroms





LUMIBRIGHT™
INSPIRED BY LIGHT

VORSORD

LB2811

POWER: 28W
INPUT: 220-240VAC
LUMEN : 95-105lm/W
BEAM ANGLE : 15°,24°,36°,60°
DIM: Ø113x106mm
CRI: >80,>90
IP RATING: IP20





Available CCT

2700K,3000K,4000K,5000K

Available Finishes

White

Application

Retail & showroms

LUMIBRIGHT™
INSPIRED BY LIGHT

ORVILLE

LB2813

POWER: 20W
INPUT: 200-240VAC, 50/60HZ
LUMEN : 760lm
BEAM ANGLE : 97°-153°
DIM: 280x45x49mm
CRI: >80,>90
IP RATING: IP20



Available CCT

2700K,3000K,4000K,5000K

Available Finishes

White

Application

Retail & showroms

LUMIBRIGHT™
INSPIRED BY LIGHT


BAD DOG
230573
POLICE DEPT.
BAD DOG
230573
POLICE DEPT

STURZ





LB2814

POWER: 9.3W
INPUT: 36 VDC 250mA
BEAM : 15°,25°,38°
DIM: Ø120x109mm
CRI: >90
IP RATING: IP 20

Available CCT

3000k,4000k,5000k,6500k

Available Finishes

White,Black,Gold,ALU

Application

Daylight, Foyer, Bathroom, Bedroom, Study, Kitchen, Dining room

LUMIBRIGHT™
INSPIRED BY LIGHT



STURZ



LB2815

POWER: 9.3W
INPUT: 36 VDC 250mA
BEAM : 15°,25°,38°
DIM: Ø60x141mm
CRI: >90
IP RATING: IP 20

Available CCT

3000k,4000k,5000k,6500k

Available Finishes

White,Black,Gold

Application

Hotels, Department Stores, Shopping malls

LUMIBRIGHT™
INSPIRED BY LIGHT

ESPEJO





LB2816

POWER: 12W
INPUT: 220-240VAC
BEAM : 60°
DIM: Ø86x55mm
CRI: >90
IP RATING: IP 20

Available CCT

3000k,4000k,5000k,6500k

Available Finishes

Black+Mirror Silver

Application

Home/Office

LUMIBRIGHT™
INSPIRED BY LIGHT

VEREIN





LB2820

POWER: 12W
INPUT: 220-240VAC
BEAM : 15°,24°,38°
DIM: Ø85x80mm
CRI: >90
IP RATING: IP 20

Available CCT

2700K,3000K,4000K,5000K,6000K

Available Finishes

White+Mirror Silver

Application

Indoor, Residential, Commercial, Hotel

LUMIBRIGHT™
INSPIRED BY LIGHT

FIORD



LB2807

POWER: 10W/15W
INPUT: 500mA/700mA, 18VDC
BEAM : 24°/32°/50°
DIM: Ø90x40mm
CRI: >90
IP RATING: IP44

Available CCT

2700K,3000K,4000K,5000K,6000K

Available Finishes

:White/Black

Application

Wine Cabinet, Closet, And Ceiling Decoration In 5-star Hotels

LUMIBRIGHT™
INSPIRED BY LIGHT

MEDIO





LB2819

POWER: 12W
INPUT: 220-240VAC
LUMEN : 1200lm
BEAM ANGLE : 36°,45°,60°
DIM: Ø86x54mm
CRI: >80,>90
IP RATING: IP20

Available CCT

2700K,3000K,4000K,6000K

Available Finishes

White+Mirror Black

Application

Wine Cabinet, Closet, and Ceiling Decoration In 5-star Hotels

LUMIBRIGHT™
INSPIRED BY LIGHT

HERMES







LB2823

POWER: 12W
INPUT: 220-240VAC
LUMEN : 80-85lm/W
BEAM ANGLE : 15°,24°,36°
DIM: Ø85x94mm
CRI: >90
IP RATING: IP20

Available CCT

2700K,3000K,4000K,5000K

Available Finishes

White

Application

Decorative Lighting Of Various Commercial Place, Such As Hotel, Shopping Malls Etc

LUMIBRIGHT™
INSPIRED BY LIGHT

VASTE





LB2823

POWER: 12W
INPUT: 220-240VAC
LUMEN : 80-85lm/W
BEAM ANGLE : 24°,38°,60°
DIM: Ø75x95mm
CRI: >90
IP RATING: IP20

LB2824

POWER: 20W
INPUT: 220-240VAC
LUMEN : 80-85lm/W
BEAM ANGLE : 24°,38°,60°
DIM: Ø91x112mm
CRI: >90
IP RATING: IP20

Available CCT

2700K,3000K,4000K,5000K,6000K

Available Finishes

White+Mirror Silver

Application

Residential Lighting, Commercial Shop Lighting, Hotel Lighting, Villa Lighting

ROUR



LB2826
POWER: 3W
INPUT: 220-240VAC
LUMEN : 80-85lm/W
BEAM ANGLE : 15°,24°,36°,60°
DIM: Ø35x40mm
CRI: >90
IP RATING: IP20

LB2827
POWER: 5W
INPUT: 220-240VAC
LUMEN : 80-85lm/W
BEAM ANGLE : 15°,24°,36°,60°
DIM: Ø45x50mm
CRI: >90
IP RATING: IP20

LB2828
POWER: 7W
INPUT: 220-240VAC
LUMEN : 80-85lm/W
BEAM ANGLE : 15°,24°,36°,60°
DIM: Ø57x68mm
CRI: >90
IP RATING: IP20

LB2829
POWER: 9W
INPUT: 220-240VAC
LUMEN : 80-85lm/W
BEAM ANGLE : 15°,24°,36°,60°
DIM: Ø69x80mm
CRI: >90
IP RATING: IP20



Available CCT
2700K,3000K,4000K,5000K,6000K

Available Finishes
White+Black

Application
Wine Cabinet, Closet, And Ceiling Decoration In 5-star Hotels

LUMIBRIGHT™
INSPIRED BY LIGHT

HERMES





LB2811

POWER: 12W
INPUT: 220-240VAC
LUMEN : 95-105lm/W
BEAM ANGLE : 15°,24°,36°,60°
DIM: Ø113x106mm
CRI: >80,>90
IP RATING: IP20

Available CCT

2700K,3000K,4000K,5000K

Available Finishes

White

Application

Residential, Hotel, Restaurant, Home, Shop

LUMIBRIGHT™
INSPIRED BY LIGHT

NOVO R





LB2830

POWER: 10W
INPUT: 85-265VAC
LUMEN : 800lm
BEAM ANGLE : 36°, 60°
DIM: Ø90x100mm
CRI: >80
IP RATING: IP44

Available CCT

2700K,3000K,4000K,6000K

Available Finishes


White, Black, White+golden, Black+golden

Application

Bedroom, Diningroom, livingroom,office

LUMIBRIGHT™
INSPIRED BY LIGHT

NOVO S





LB2831

POWER: 10W
INPUT: 85-265VAC
LUMEN : 800lm
BEAM ANGLE : 36°, 60°
DIM: Ø94x94x100mm
CRI: >80
IP RATING: IP44

LB2832

POWER: 2x10W
INPUT: 85-265VAC
LUMEN : 1600lm
BEAM ANGLE : 36°, 60°
DIM: 188x94x100mm
CRI: >80
IP RATING: IP44

Available CCT

3000K,4000K,6000K

Available Finishes

White, Black, White+golden, Black+golden

Application

Residential Lighting, Commercial Shop Lighting, Hotel Lighting, Villa Lighting

LUMIBRIGHT™
INSPIRED BY LIGHT

HALCON





LB2833

POWER: 10W
INPUT: 85-265VAC
LUMEN : 800lm
BEAM ANGLE : 24°, 36°, 60°
DIM: Ø80x82mm
CRI: >80
IP RATING: IP20

LB2834

POWER: 10W
INPUT: 85-265VAC
LUMEN : 800lm
BEAM ANGLE : 24°, 36°, 60°
DIM: Ø100x96mm
CRI: >80
IP RATING: IP20

LB2835

POWER: 10W
INPUT: 85-265VAC
LUMEN : 800lm
BEAM ANGLE : 24°, 36°, 60°
DIM: Ø80x130mm
CRI: >80
IP RATING: IP20

Available CCT

3000K,4000K,6000K

Available Finishes

White, Black, Chrome, Golden

Application

Decorative Lighting Of Various Commercial Place, Such As Hotel, Shopping Malls Etc

LUMIBRIGHT™
INSPIRED BY LIGHT

KUBIN





LB2836

POWER: 10W
INPUT: 85-265VAC
LUMEN : 800lm
BEAM ANGLE : 24°, 36°, 60°
DIM: 80x80mm
CRI: >80
IP RATING: IP20

Available CCT

3000K,4000K,6000K

Available Finishes

Golden

Application

Residential Lighting, Commercial Shop Lighting, Hotel Lighting, Villa Lighting

LUMIBRIGHT™
INSPIRED BY LIGHT

MIKO





LB2837

POWER: 12W
INPUT: 85-265VAC
LUMEN : 80lm
BEAM ANGLE : 24°, 36°, 60°
DIM: Ø100x55mm
CRI: >80
IP RATING: IP20

Available CCT

3000K,4000K,6000K

Available Finishes

Sand White,PAB

Application

Decorative Lighting Of Various Commercial Place, Such As Hotel, Shopping Malls Etc

LUMIBRIGHT™
INSPIRED BY LIGHT

MIKO A





LB2838

POWER: 10W
INPUT: 85-265VAC
LUMEN : 80lm
BEAM ANGLE : 18°
DIM: Ø86x65mm
CRI: >80
IP RATING: IP20

Available CCT

3000K,4000K,6000K

Available Finishes

Matt White,PBK

Application

Residential Lighting, Commercial Shop Lighting, Hotel Lighting, Villa Lighting

LUMIBRIGHT™
INSPIRED BY LIGHT

BARRES





LB2839

POWER: 10W
INPUT: 220-240VAC
LUMEN : 80lm/w
BEAM ANGLE : 24°
DIM: Ø80x171mm
CRI: >80
IP RATING: IP20

Available CCT

3000K,4000K,6000K

Available Finishes


White+Chrome,Black +Chrome

Application

Decorative lighting of various commercial place, such as hotel, shopping malls etc

LUMIBRIGHT™
INSPIRED BY LIGHT

BARRES





LB2839

POWER: 10W
INPUT: 220-240VAC
LUMEN : 80lm/w
BEAM ANGLE : 24°
DIM: Ø80x171mm
CRI: >80
IP RATING: IP20

Available CCT

3000K,4000K,6000K

Available Finishes

White+Chrome,Black +Chrome

Application

Decorative lighting of various commercial place, such as hotel, shopping malls etc

LUMIBRIGHT™
INSPIRED BY LIGHT

ORACLE







LB2842

POWER: 20W
INPUT: 220-240VAC
LUMEN : 70-85lm/W
BEAM ANGLE : 15°,24°, 38°
DIM: Ø110x110mm
CRI: >90
IP RATING: IP20

Available CCT

2700K,3000K,4000K,5000K

Available Finishes

Matt Black Trim+Matt Black

Application

High-end Hotels, Villas, And Mansions

LUMIBRIGHT™
INSPIRED BY LIGHT

VORSORD





LB2843

POWER: 10W
INPUT: 220-240VAC
LUMEN : 95-105lm/W
BEAM ANGLE : 15°, 24°, 36, 60°
DIM: Ø82x75mm
CRI: >90
IP RATING: IP20

Available CCT

2700K,3000K,4000K,5000K

Available Finishes

Matt Black Trim+Matt Black

Application

Residential Lighting, Commercial Shop Lighting, Hotel Lighting, Villa Lighting

LUMIBRIGHT™
INSPIRED BY LIGHT

FOKUS





LB2844

POWER: 13W
INPUT: 220-240VAC
LUMEN : 910lm
BEAM ANGLE : 15°, 24°, 36
DIM: Ø79x128mm
CRI: >95
IP RATING: IP20

Available CCT

2700K,3000K,4000K,5000K

Available Finishes

White/Black

Application

Residential Lighting, Commercial Shop Lighting, Hotel Lighting, Villa Lighting

LUMIBRIGHT™
INSPIRED BY LIGHT

TILT



LB2961

POWER: 12W
INPUT: 220-240VAC 50/60Hz
LUMEN : 80-85lm/W
BEAM ANGLE : 15°,24°,36°,60°
DIM: Ø60xH185mm
CRI: >80
IP RATING: IP20

Available CCT

2700K,3000K,4000K,6000K

Available Finishes

White, Black

Application

Residential Lighting, Commercial Shop Lighting, Hotel Lighting, Villa Lighting

LUMIBRIGHT™
INSPIRED BY LIGHT

VEROZA



LB2928

POWER: 3W
INPUT: 7V 350mA
BEAM ANGLE : 15°,24°,36°
DIM: 45x45x42mm
CRI: >90
IP RATING: IP20



LB2929

POWER: 2x2W
INPUT: 300mA
LUMEN : 80-85lm/W
BEAM ANGLE : 15°,24°,36°
DIM: 63x41x41mm
CRI: >90
IP RATING: IP20



LB2930

POWER: 4x2W
INPUT: 200mA
BEAM ANGLE : 15°,24°,36°
DIM: 113x41x41mm
CRI: >90
IP RATING: IP20



LB2931

POWER: 5x2.4W(12W)
INPUT: 300mA
BEAM ANGLE : 15°,24°,36°
DIM: 147x45x42mm
CRI: >90
IP RATING: IP20



LB2932

POWER: 5x2.4W(12W)
INPUT: 300mA
BEAM ANGLE : 15°,24°,36°
DIM: 158x50x42mm
CRI: >90
IP RATING: IP20



LB2933

POWER: 10x2.4W(24W)
INPUT: 500mA
BEAM ANGLE : 15°,24°,36°
DIM: 280x45x42mm
CRI: >90
IP RATING: IP20



LB2934

POWER: 10x2.4W(24W)
INPUT: 500mA
BEAM ANGLE : 15°,24°,36°
DIM: 290x50x42mm
CRI: >90
IP RATING: IP20



LB2939

POWER: 6x2W(12W)
INPUT: 300mA
BEAM ANGLE : 15°,24°,36°
DIM: 163x41x41mm
CRI: >90
IP RATING: IP20

LUMIBRIGHT™
INSPIRED BY LIGHT

VEROZA



LB2935

POWER: 4x2W(8W)
INPUT: 200mA
BEAM ANGLE : 15°,24°,36°
DIM: Ø80x38mm
CRI: >90
IP RATING: IP20



LB2936

POWER: 4x2W(8W)
INPUT: 200mA
BEAM ANGLE : 15°,24°,36°
DIM: Ø80x38mm
CRI: >90
IP RATING: IP20




LB2937

POWER: 7x2.14(15W)
INPUT: 350mA
BEAM ANGLE : 15°,24°,36°
DIM: Ø105x38mm
CRI: >90
IP RATING: IP20



LB2938

POWER: 4x2W(8W)
INPUT: 200mA
BEAM ANGLE : 15°,24°,36°
DIM: 68x63x41mm
CRI: >90
IP RATING: IP20



LB2940

POWER: 4x2W(8W)
INPUT: 200mA
BEAM ANGLE : 15°,24°,36°
DIM: 72x72x60mm
CRI: >90
IP RATING: IP20



LB2941

POWER: 5x2.4W(12W)
INPUT: 300mA
BEAM ANGLE : 15°,24°,36°
DIM: 145x42x60mm
CRI: >90
IP RATING: IP20



LB2942

POWER: 12W
INPUT: 300mA
BEAM ANGLE : 15°,24°,36°
DIM: 278x42x60mm
CRI: >90
IP RATING: IP20

LUMIBRIGHT™
INSPIRED BY LIGHT



VEROZA

DEEP



LB2925

POWER: 8W
INPUT: 100-240VAC 50-60Hz
LUMEN : 560lm
BEAM ANGLE : 24°
CRI: >90
IP RATING: IP20

Available CCT

2700K,3000K,4000K,5000K

Available Finishes

Golden

Application

Restaurant ,Showcase, Cabinet Bar Lighting, Living Room

LUMIBRIGHT™
INSPIRED BY LIGHT

DEEP





LB2925

POWER: 7W
INPUT: 100-240VAC 50-60Hz
LUMEN : 420lm
BEAM ANGLE : 24°
CRI: >90
IP RATING: IP20

Available CCT

2700K,3000K,4000K,5000K

Available Finishes

Black

Application

Home living room

LUMIBRIGHT™
INSPIRED BY LIGHT

JSWAY



LB2923

POWER: 10W
INPUT: 100-240VAC 50-60Hz
LUMEN : 600lm
BEAM ANGLE : 10°-40°
CRI: >90
IP RATING: IP20

Available CCT

2700K,3000K,4000K,5000K

Available Finishes

Black

Application

Home living room

LUMIBRIGHT™
INSPIRED BY LIGHT

TRIO





LB2923

POWER: 15W
INPUT: 100-240VAC 50-60Hzz
LUMEN : 900lm
BEAM ANGLE : 15°-48°
CRI: >90
IP RATING: IP20

Available CCT

3000K, 4000K, 6000K

Available Finishes

Black

Application

Museum, Art Gallery, Exhibition Hall

LUMIBRIGHT™
INSPIRED BY LIGHT

A COLLECTION FROM

LUMIBRIGHT™

INSPIRED BY LIGHT

DUBAI OFFICE
IHG Brands Lighting LLC
LUMIBRIGHT LTD, Sheikh Zayed Road
Interchange No-3 , Dubai, UAE
T: +971 (0) 4 33 83 448

sales@lumibright.co.uk

HEADQUARTER
IHG Brands Lighting LLC
LUMIBRIGHT LTD, Sheikh Zayed Road
Interchange No-3 , Dubai, UAE
T: +971 (0) 4 33 83 448