

LUMIPRO


A COLLECTION FROM
LUMIBRIGHT

Vol: 4.1

Architectural



LUMIPRO LED Profiles & Accessories



The aluminum LED Lighting Profile has a large variety of profiles in many sizes and Shapes to suit for every LED Lighting project. Surface with pendant, Recessed, Tube, Wall, Wardrobe, Step, Shelves, Handrail, Jewelry Profiles can come with different colors of LEDs and Regulated intensity of light.

LUMIPRO LED Profiles & Accessories

INDEX

Surface with Pendant profiles	01
Recessed Profiles	47
Tube Profiles	81
Suface Profiles	93
Wall Profiles	117
Pendant Profiles	131

INDEX

Wardrobe Profiles	151	
Step Profiles	155	
Shelves Profiles	171	
Jewelry Profiles	179	
Handrail Profiles	187	
Accessories	191	
New Designs	187	












Surface with Pendent Profiles

LP.1911.SP.K	03
LP.1911.SP.G	05
LP.1911.SP.C	07
LP.1911.SP.T	09
LP.1911.SP.L	11
LP.1911.SP.P	13
LP.3030.SP	15
LP.5050.SP	17
LP.5768.SP	19
LP.4932.SP	21
LP.2855.SP	23
LP.3667.SP	25
LP.7432.SP	27
LP.4970.SP	29
LP.4234.SP.C	31
LP.4234.SP.P	33
LP.7477.SP	35
LP.3691.SP	37
LP.4416.SP	39
LP.6423.SP	41
LP.13747.SP	43
LB.1357, LB.1356, LB.1355	45

Accessories







Endcap



Dimentions



Installation



Details	
Material	Anodized Aluminum
Dimension	19x11MM
Power Supply	To be selected according to LED strip length and power

PROFILE COLOR


LP.1911.SP.K.B	BLACK
LP.1911.SP.K.W	WHITE
LP.1911.SP.K.A	ALUMINUM

PROFILE COVER

LP.1911.SP.K.X.C	CLEAR
LP.1911.SP.K.X.F	FROSTED
LP.1911.SP.K.X.M	MILKY




Accessories




Endcap



Dimensions



Installation






Details	
Material	Anodized Aluminum
Dimension	19.5x19.6 MM
Power Supply	To be selected according to LED strip length and power

PROFILE COLOR


LP.1911.SP.G.B	BLACK
LP.1911.SP.G.W	WHITE
LP.1911.SP.G.A	ALUMINUM

PROFILE COVER

LP.1911.SP.G.X.C	CLEAR
LP.1911.SP.G.X.F	FROSTED
LP.1911.SP.G.X.M	MILKY



Accessories






Endcap




Dimensions



Details	
Material	Anodized Aluminium
Dimension	19x11MM
Power Supply	To be selected according to LED strip length and power

Installation




PROFILE COLOR


LP.1911.SP.C.B	BLACK
LP.1911.SP.C.W	WHITE
LP.1911.SP.C.A	ALUMINUM

PROFILE COVER

LP.1911.SP.C.X.C	CLEAR
LP.1911.SP.C.X.F	FROSTED
LP.1911.SP.C.X.M	MILKY



Accessories







Endcap



Dimensions



Installation



Details	
Material	Anodized Aluminum
Dimension	19x11MM
Power Supply	To be selected according to LED strip length and power

PROFILE COLOR


LP.1911.SP.T.B	BLACK
LP.1911.SP.T.W	WHITE
LP.1911.SP.T.A	ALUMINUM

PROFILE COVER

LP.1911.SP.T.X.C	CLEAR
LP.1911.SP.T.X.F	FROSTED
LP.1911.SP.T.X.M	MILKY



Accessories






Endcap




Dimentions



Details	
Material	Anodized Aluminum
Dimension	19x11MM
Power Supply	To be selected according to LED strip length and power

Installation



PROFILE COLOR

LP.1911.SP.L.B	BLACK
LP.1911.SP.L.W	WHITE
LP.1911.SP.L.A	ALUMINUM


PROFILE COVER

LP.1911.SP.L.X.C	CLEAR
LP.1911.SP.L.X.F	FROSTED
LP.1911.SP.L.X.M	MILKY





Accessories






Endcap




Dimentions



Details	
Material	Anodized Aluminum
Dimension	19x11MM
Power Supply	To be selected according to LED strip length and power

Installation



PROFILE COLOR


LP.1911.SP.P.B	BLACK
LP.1911.SP.P.W	WHITE
LP.1911.SP.P.A	ALUMINUM

PROFILE COVER

LP.1911.SP.P.X.C	CLEAR
LP.1911.SP.P.X.F	FROSTED
LP.1911.SP.P.X.M	MILKY



Accessories






Endcap




Dimentions



Details	
Material	Anodized Aluminum
Dimension	30x30MM
Power Supply	To be selected according to LED strip length and power

Installation



PROFILE COLOR


LP.3030.SP.B	BLACK
LP.3030.SP.W	WHITE
LP.3030.SP.A	ALUMINUM

PROFILE COVER

LP.3030.SP.X.C	CLEAR
LP.3030.SP.X.F	FROSTED
LP.3030.SP.X.M	MILKY




Accessories




Endcap



Dimentions



Installation





Details	
Material	Anodized Aluminum
Dimension	50x50MM
Power Supply	To be selected according to LED strip length and power

PROFILE COLOR


LP.5050.SP.B	BLACK
LP.5050.SP.W	WHITE
LP.5050.SP.A	ALUMINUM

PROFILE COVER

LP.5050.SP.X.C	CLEAR
LP.5050.SP.X.F	FROSTED
LP.5050.SP.X.M	MILKY




Accessories




Endcap



Dimensions



Installation





Details	
Material	Anodized Aluminum
Dimension	57x68MM
Power Supply	To be selected according to LED strip length and power

PROFILE COLOR


LP.5768.SP.B	BLACK
LP.5768.SP.W	WHITE
LP.5768.SP.A	ALUMINUM

PROFILE COVER

LP.5768.SP.X.C	CLEAR
LP.5768.SP.X.F	FROSTED
LP.5768.SP.X.M	MILKY



Accessories






Endcap




Dimensions



Details	
Material	Anodized Aluminum
Dimension	49x32MM
Power Supply	To be selected according to LED strip length and power

Installation



PROFILE COLOR


LP.4932.SP.B	BLACK
LP.4932.SPK.W	WHITE
LP.4932.SP.A	ALUMINUM

PROFILE COVER

LP.4932.SP.X.C	CLEAR
LP.4932.SP.X.F	FROSTED
LP.4932.SP.X.M	MILKY



Accessories






Endcap




Dimensions



Details	
Material	Anodized Aluminum
Dimension	28x55 MM
Power Supply	To be selected according to LED strip length and power

Installation



PROFILE COLOR


LP.2855.SP.B	BLACK
LP.2855.SP.W	WHITE
LP.2855.SP.A	ALUMINUM

PROFILE COVER

LP.2855.SP.X.C	CLEAR
LP.2855.SP.X.F	FROSTED
LP.2855.SP.X.M	MILKY



Accessories






Endcap




Dimensions



Details	
Material	Anodized Aluminum
Dimension	36x67 MM
Power Supply	To be selected according to LED strip length and power

Installation



PROFILE COLOR


LP.3667.SP.B	BLACK
LP.3667.SP.W	WHITE
LP.3667.SP.A	ALUMINUM

PROFILE COVER

LP.3667.SP.X.C	CLEAR
LP.3667.SP.X.F	FROSTED
LP.3667.SP.X.M	MILKY



Accessories






Endcap




Dimensions



Details	
Material	Anodized Aluminum
Dimension	74x32MM
Power Supply	To be selected according to LED strip length and power

Installation



PROFILE COLOR


LP.7432.SP.B	BLACK
LP.7432.SP.W	WHITE
LP.7432.SP.A	ALUMINUM

PROFILE COVER

LP.7432.SP.X.C	CLEAR
LP.7432.SP.X.F	FROSTED
LP.7432.SP.X.M	MILKY



Accessories






Endcap




Dimensions



Details	
Material	Anodized Aluminum
Dimension	49x70MM
Power Supply	To be selected according to LED strip length and power

Installation



PROFILE COLOR


LP.4970.SP.B	BLACK
LP.4970.SP.W	WHITE
LP.4970.SP.A	ALUMINUM

PROFILE COVER

LP.4970.SP.X.C	CLEAR
LP.4970.SP.X.F	FROSTED
LP.4970.SP.X.M	MILKY



Accessories






Endcap



Dimensions



Details	
Material	Anodized Aluminum
Dimension	42x34 MM
Power Supply	To be selected according to LED strip length and power

Installation



PROFILE COLOR


LP.4234.SP.C.B	BLACK
LP.4234.SP.C.W	WHITE
LP.4234.SP.C.A	ALUMINUM

PROFILE COVER

LP.4234.SP.C.X.C	CLEAR
LP.4234.SP.C.X.F	FROSTED
LP.4234.SP.C.X.M	MILKY




Accessories




Endcap




Dimensions



Installation





Details	
Material	Anodized Aluminum
Dimension	42x34 MM
Power Supply	To be selected according to LED strip length and power

PROFILE COLOR


LP.4234.SP.P.B	BLACK
LP.4234.SP.P.W	WHITE
LP.4234.SP.P.A	ALUMINUM

PROFILE COVER

LP.4234.SP.P.X.C	CLEAR
LP.4234.SP.P.X.F	FROSTED
LP.4234.SP.P.X.M	MILKY




Accessories




Endcap



Dimensions



Installation





Details	
Material	Anodized Aluminum
Dimension	74x77MM
Power Supply	To be selected according to LED strip length and power

PROFILE COLOR


LP.7477.SP.B	BLACK
LP.7477.SP.W	WHITE
LP.7477.SP.A	ALUMINUM

PROFILE COVER

LP.7477.SP.X.C	CLEAR
LP.7477.SP.X.F	FROSTED
LP.7477.SP.X.M	MILKY




Accessories




Endcap



Dimensions



Installation





Details	
Material	Anodized Aluminum
Dimension	36x91 MM
Power Supply	To be selected according to LED strip length and power

PROFILE COLOR

LP.3691.SP.B	BLACK
LP.3691.SP.W	WHITE
LP.3691.SP.A	ALUMINUM

PROFILE COVER


LP.3691.SP.X.C	CLEAR
LP.3691.SP.X.F	FROSTED
LP.3691.SP.X.M	MILKY







Accessories






Endcap



Dimensions



Installation



Details	
Material	Anodized Aluminum
Dimension	44x16 MM
Power Supply	To be selected according to LED strip length and power

PROFILE COLOR


LP.4416.V.B	BLACK
LP.4416.V.W	WHITE
LP.4416.V.A	ALUMINUM

PROFILE COVER

LP.4416.V.X.C	CLEAR
LP.4416.V.X.F	FROSTED
LP.4416.V.X.M	MILKY



Accessories






Endcap



Dimensions



Details	
Material	Anodized Aluminum
Dimension	64x23 MM
Power Supply	To be selected according to LED strip length and power

Installation



PROFILE COLOR

LP.6423.V.B	BLACK
LP.6423.V.W	WHITE
LP.6423.V.A	ALUMINUM


PROFILE COVER

LP.6423.V.X.C	CLEAR
LP.6423.V.X.F	FROSTED
LP.6423.V.X.M	MILKY



Accessories


LED Strip	Power supply	Mounting wire
		



Endcap



Dimensions



Details	
Material	Anodized Aluminum
Dimension	47x137 MM
Power Supply	To be selected according to LED strip length and power

Installation




PROFILE COLOR

LP.13747.V.B	BLACK
LP.13747.V.W	WHITE
LP.13747.V.A	ALUMINUM

PROFILE COVER

LP.13747.V.X.C	CLEAR
LP.13747.V.X.F	FROSTED
LP.13747.V.X.M	MILKY








Features

Connectable up to 1000meters
Easy Fitting, Simple Installation
CRI can achieve 85+
Different frame designs and colors are available
Dimmable compatible with Dali
Lighting sensors and motion sensors are optional



Dimensions




All Dimensions are in millimeter

LB 1354_ 150x900
LB 1355_ 150x1200
LB 1356_ 150x1500

Power Supply Details

Art No	Power	Input Voltage	Type
LB 1354	26 W	110-220 VAC	Inbuilt
LB 1355	40 W	110-220 VAC	Inbuilt
LB 1356	50 W	110-220 VAC	Inbuilt



LB 1354	
Power	26W
Color Temp	3000K/4000K/6000K
Beam Angle	120°
Lumen	2000
IP Rate	IP 20
I/P Voltage	100V-240V


LB 1355	
Power	40W
Color Temp	3000K/4000K/6000K
Beam Angle	120°
Lumen	3000
IP Rate	IP 20
I/P Voltage	100V-240V

LB 1356	
Power	50W
Color Temp	3000K/4000K/6000K
Beam Angle	120°
Lumen	4000
IP Rate	IP 20
I/P Voltage	100V-240V


mM
bB
fF
uU
11 12 13 14 15 16 17 18 19 20











Recessed Profiles

LP.0709.R	49
LP.1813.R	51
LP.1006.R	53
LP.2613.R	55
LP.2407.R	57
LP.2415.R	59
LP.3007.R	61
LP.4932.R	63
LP.4435.R	65
LP.75100.R	67
LP.4668.R	69
LP.6332.R	71
LP.8832.R	73
LP.2216.R	75
LP.2626.R	77
LP.3021.R	79


Accessories




Endcap



Dimensions



Installation






Details	
Material	Anodized Aluminum
Dimension	07x09MM
Power Supply	To be selected according to LED strip length and power

PROFILE COLOR


LP.0709.R.B	BLACK
LP.0709.R.W	WHITE
LP.0709.R.A	ALUMINUM

PROFILE COVER

LP.0709.R.X.C	CLEAR
LP.0709.R.X.F	FROSTED
LP.0709.R.X.M	MILKY



Accessories






Endcap




Dimensions



Details	
Material	Anodized Aluminum
Dimension	17.5x13MM
Power Supply	To be selected according to LED strip length and power

Installation



PROFILE COLOR

LP.1813.R.B	BLACK
LP.1813.R.W	WHITE
LP.1813.R.A	ALUMINUM

PROFILE COVER

LP.1813.R.X.C	CLEAR
LP.1813.R.X.F	FROSTED
LP.1813.R.X.M	MILKY



Accessories


LED Strip	Power supply	Mounting clips
		



Endcap




Dimensions



All Dimensions are in millimeter

Details	
Material	Anodized Aluminum
Dimension	10x06MM
Power Supply	To be selected according to LED strip length and power

Installation



PROFILE COLOR


LP.1006.R.B	BLACK
LP.1006.R.W	WHITE
LP.1006.R.A	ALUMINUM

PROFILE COVER

LP.1006.R.X.C	CLEAR
LP.1006.R.X.F	FROSTED
LP.1006.R.X.M	MILKY



Accessories






Endcap




Dimensions



Details	
Material	Anodized Aluminum
Dimension	26x13MM
Power Supply	To be selected according to LED strip length and power

Installation



PROFILE COLOR

LP.2613.R.B	BLACK
LP.2613.R.W	WHITE
LP.2613.R.A	ALUMINUM

PROFILE COVER

LP.2613.R.X.C	CLEAR
LP.2613.R.X.F	FROSTED
LP.2613.R.X.M	MILKY



Accessories


LED Strip	Power supply	Mounting clips and Screws
		



Endcap




Dimensions



Details	
Material	Anodized Aluminum
Dimension	24x07 MM
Power Supply	To be selected according to LED strip length and power

Installation



PROFILE COLOR

LP.2407.R.B	BLACK
LP.2407.R.W	WHITE
LP.2407.R.A	ALUMINUM


PROFILE COVER

LP.2407.R.X.C	CLEAR
LP.2407.R.X.F	FROSTED
LP.2407.R.X.M	MILKY






Accessories



Endcap



Dimensions



Installation





Details	
Material	Anodized Aluminum
Dimension	24.4x16 MM
Power Supply	To be selected according to LED strip length and power

PROFILE COLOR

LP.2415.R.B	BLACK
LP.2415.R.W	WHITE
LP.2415.R.A	ALUMINUM

PROFILE COVER

LP.2415.R.X.C	CLEAR
LP.2415.R.X.F	FROSTED
LP.2415.R.X.M	MILKY



Accessories


LED Strip	Power supply	Mounting clips
		



Endcap




Dimensions



Details	
Material	Anodized Aluminum
Dimension	30x07MM
Power Supply	To be selected according to LED strip length and power

Installation



PROFILE COLOR


LP.3007.R.B	BLACK
LP.3007.R.W	WHITE
LP.3007.R.A	ALUMINUM

PROFILE COVER

LP.3007.R.X.C	CLEAR
LP.3007.R.X.F	FROSTED
LP.3007.R.X.M	MILKY



Accessories






Endcap




Dimensions



Details	
Material	Anodized Aluminum
Dimension	30x07MM
Power Supply	To be selected according to LED strip length and power

Installation



PROFILE COLOR


LP.4932.R.B	BLACK
LP.4932.R.W	WHITE
LP.4932.R.A	ALUMINUM

PROFILE COVER

LP.4932.R.X.C	CLEAR
LP.4932.R.X.F	FROSTED
LP.4932.R.X.M	MILKY



Accessories






Endcap




Dimensions



Details	
Material	Anodized Aluminum
Dimension	46x68 MM
Power Supply	To be selected according to LED strip length and power

Installation




PROFILE COLOR


LP.4435.R.B	BLACK
LP.4435.R.W	WHITE
LP.4435.R.A	ALUMINUM

PROFILE COVER

LP.4435.R.X.C	CLEAR
LP.4435.R.X.F	FROSTED
LP.4435.R.X.M	MILKY


Hertz


Accessories




Endcap



Dimensions



Installation






Details	
Material	Anodized Aluminum
Dimension	86.5x100 MM
Power Supply	To be selected according to LED strip length and power

PROFILE COLOR


LP.75100.R.B	BLACK
LP.75100.R.W	WHITE
LP.75100.R.A	ALUMINUM


PROFILE COVER

LP.75100.R.X.C	CLEAR
LP.75100.R.X.F	FROSTED
LP.75100.R.X.M	MILKY



Accessories






Endcap




Dimensions



Details	
Material	Anodized Aluminum
Dimension	46x68 MM
Power Supply	To be selected according to LED strip length and power

Installation





PROFILE COLOR

LP.4668.R.B	BLACK
LP.4668.R.W	WHITE
LP.4668.R.A	ALUMINUM


PROFILE COVER

LP.4668.R.X.C	CLEAR
LP.4668.R.X.F	FROSTED
LP.4668.R.X.M	MILKY






Accessories




Endcap



Dimensions



Installation





Details	
Material	Anodized Aluminum
Dimension	63x32 MM
Power Supply	To be selected according to LED strip length and power

PROFILE COLOR


LP.6332.R.B	BLACK
LP.6332.R.W	WHITE
LP.6332.R.A	ALUMINUM

PROFILE COVER


LP.6332.R.X.C	CLEAR
LP.6332.R.X.F	FROSTED
LP.6332.R.X.M	MILKY




Accessories




Endcap



Dimensions



Installation





Details	
Material	Anodized Aluminum
Dimension	88x32 MM
Power Supply	To be selected according to LED strip length and power

PROFILE COLOR

LP.8832.R.B	BLACK
LP.8832.R.W	WHITE
LP.8832.R.A	ALUMINUM

PROFILE COVER

LP.8832.R.X.C	CLEAR
LP.8832.R.X.F	FROSTED
LP.8832.R.X.M	MILKY




Accessories

LED Strip	Power supply	Fixing clamp and screws
		

Endcap




Dimensions



All Dimensions are in millimeter

Installation





Details	
Material	Anodized Aluminum
Dimension	22x16 MM
Power Supply	To be selected according to LED strip length and power

PROFILE COLOR

LP.2216.R.B	BLACK
LP.2216.R.W	WHITE
LP.2216.R.A	ALUMINUM

PROFILE COVER

LP.2216.R.X.C	CLEAR
LP.2216.R.X.F	FROSTED
LP.2216.R.X.M	MILKY





Accessories


LED Strip	Power supply	Fixing clamp and screws
		



Endcap




Dimensions



All Dimensions are in millimeter

Details	
Material	Anodized Aluminum
Dimension	26X26 MM
Power Supply	To be selected according to LED strip length and power

Installation




PROFILE COLOR

LP.2626.R.B	BLACK
LP.2626.R.W	WHITE
LP.2626.R.A	ALUMINUM

PROFILE COVER

LP.2626.R.X.C	CLEAR	
LP.2626.R.X.F	FROSTED	
LP.2626.R.X.M	MILKY	






Accessories

LED Strip	Power supply	Fixing clamp and screws
		



Dimensions



All Dimensions are in millimeter

Details	
Material	Anodized Aluminum
Dimension	30x21 MM
Power Supply	To be selected according to LED strip length and power

Installation




PROFILE COLOR


LP.3021.R.B	BLACK
LP.3021.R.W	WHITE
LP.3021.R.A	ALUMINUM

PROFILE COVER

LP.3021.R.X.C	CLEAR
LP.3021.R.X.F	FROSTED
LP.3021.R.X.M	MILKY

















TUBE Profiles

LP.40.TUBE	83
LP.26.TUBE	85
LP.50.TUBE	87
LP.100.TUBE	89
LP.120.TUBE	91

Accessories






Endcap




Dimensions



Details	
Material	Anodized Aluminum
Dimension	ø40 MM
Power Supply	To be selected according to LED strip length and power

Installation



PROFILE COLOR


LP.40.TUBE.B	BLACK
LP.40.TUBE.W	WHITE
LP.40.TUBE.A	ALUMINUM

PROFILE COVER

LP.40.TUBE.X.C	CLEAR
LP.40.TUBE.X.F	FROSTED
LP.40.TUBE.X.M	MILKY



Accessories






Endcap




Dimensions



Details	
Material	Anodized Aluminum
Dimension	ø100 MM
Power Supply	To be selected according to LED strip length and power

Installation



PROFILE COLOR


LP.26.TUBE.B	BLACK
LP.26.TUBE.W	WHITE
LP.26.TUBE.A	ALUMINUM

PROFILE COVER

LP.26.TUBE.X.C	CLEAR
LP.26.TUBE.X.F	FROSTED
LP.26.TUBE.X.M	MILKY




Accessories




Endcap



Dimensions



Installation





Details	
Material	Anodized Aluminum
Dimension	ø100 MM
Power Supply	To be selected according to LED strip length and power

PROFILE COLOR


LP.50.TUBE.B	BLACK
LP.50.TUBE.W	WHITE
LP.50.TUBE.A	ALUMINUM


PROFILE COVER

LP.50.TUBE.X.C	CLEAR
LP.50.TUBE.X.F	FROSTED
LP.50.TUBE.X.M	MILKY



Accessories







Endcap



Dimensions



Installation




Details	
Material	Anodized Aluminum
Dimension	ø100 MM
Power Supply	To be selected according to LED strip length and power

PROFILE COLOR


LP.100.TUBE.B	BLACK
LP.100.TUBE.W	WHITE
LP.100.TUBE.A	ALUMINUM

PROFILE COVER

LP.100.TUBE.X.C	CLEAR
LP.100.TUBE.X.F	FROSTED
LP.100.TUBE.X.M	MILKY




Accessories




Endcap




Dimensions



Installation





Details	
Material	Anodized Aluminum
Dimension	ø120 MM
Power Supply	To be selected according to LED strip length and power

PROFILE COLOR

LP.120.TUBE.B	BLACK
LP.120.TUBE.W	WHITE
LP.120.TUBE.A	ALUMINUM

PROFILE COVER


LP.120.TUBE.X.C	CLEAR
LP.120.TUBE.X.F	FROSTED
LP.120.TUBE.X.M	MILKY





















SURFACE Profiles



LP.1515.S.S	95
LP.1515.R.S	97
LP.3030.S.S	99
LP.3030.R.S	101
LP.5555.S.S	103
LP.5555.R.S	105
LP.2814.S	107
LP.8028.S	109
LP.42100.S	111
LP.70170.S	113
LP.2209.S	115


Accessories

LED Strip	Power Supply	Fixing Screws
		

Endcap



Dimensions





Details	
Material	Anodized Aluminum
Dimension	15x15 MM
Power Supply	To be selected according to LED strip length and power

Installation



PROFILE COLOR

LP.1515.S.S.B	BLACK
LP.1515.S.S.W	WHITE
LP.1515.S.S.A	ALUMINUM

PROFILE COVER


LP.1515.S.S.X.C	CLEAR
LP.1515.S.S.X.F	FROSTED
LP.1515.S.S.X.M	MILKY








Accessories



Endcap




Dimensions



Installation





Details	
Material	Anodized Aluminum
Dimension	15x15 MM
Power Supply	To be selected according to LED strip length and power

PROFILE COLOR

LP.1515.R.S.B	BLACK
LP.1515.R.S.W	WHITE
LP.1515.R.S.A	ALUMINUM

PROFILE COVER

LP.1515.R.S.X.C	CLEAR
LP.1515.R.S.X.F	FROSTED
LP.1515.R.S.X.M	MILKY



Accessories


LED Strip	Power Supply	Fixing Screws
		



Endcap



Dimensions



Details	
Material	Anodized Aluminum
Dimension	30x30 MM
Power Supply	To be selected according to LED strip length and power

Installation



PROFILE COLOR


LP.3030.S.S.B	BLACK
LP.3030.S.S.W	WHITE
LP.3030.S.S.A	ALUMINUM

PROFILE COVER

LP.3030.S.S.X.C	CLEAR
LP.3030.S.S.X.F	FROSTED
LP.3030.S.S.X.M	MILKY




Accessories



Endcap



Dimensions



Installation





Details	
Material	Anodized Aluminum
Dimension	30x30 MM
Power Supply	To be selected according to LED strip length and power


PROFILE COLOR

LP.3030.R.S.B	BLACK
LP.3030.R.S.W	WHITE
LP.3030.R.S.A	ALUMINUM

PROFILE COVER


LP.3030.R.S.X.C	CLEAR
LP.3030.R.S.X.F	FROSTED
LP.3030.R.S.X.M	MILKY





Accessories


LED Strip	Power Supply	Fixing Screws
		



Endcap



Dimensions



Details	
Material	Anodized Aluminum
Dimension	55x55 MM
Power Supply	To be selected according to LED strip length and power

Installation



PROFILE COLOR


LP.5555.S.S.B	BLACK
LP.5555.S.S.W	WHITE
LP.5555.S.S.A	ALUMINUM

PROFILE COVER

LP.5555.S.S.X.C	CLEAR
LP.5555.S.S.X.F	FROSTED
LP.5555.S.S.X.M	MILKY




Accessories



Endcap




Dimensions



Installation





Details	
Material	Anodized Aluminum
Dimension	55x55 MM
Power Supply	To be selected according to LED strip length and power

PROFILE COLOR

LP.5555.R.S.B	BLACK
LP.5555.R.S.W	WHITE
LP.5555.R.S.A	ALUMINUM

PROFILE COVER

LP.5555.R.S.X.C	CLEAR
LP.5555.R.S.X.F	FROSTED
LP.5555.R.S.X.M	MILKY



Accessories


LED Strip	Power Supply	Fixing Screws
		



Endcap



Dimensions



All Dimensions are in millimeter

Details	
Material	Anodized Aluminum
Dimension	28x14 MM
Power Supply	To be selected according to LED strip length and power

Installation



PROFILE COLOR


LP.2814.S.B	BLACK
LP.2814.S.W	WHITE
LP.2814.S.A	ALUMINUM


PROFILE COVER

LP.2814.S.X.C	CLEAR
LP.2814.S.X.F	FROSTED
LP.2814.S.X.M	MILKY



Accessories






Endcap



Dimentions



Details	
Material	Anodized Aluminum
Dimension	28x80 MM
Power Supply	To be selected according to LED strip length and power

Installation




PROFILE COLOR

LP.8028.S.B	BLACK
LP.8028.S.W	WHITE
LP.8028.S.A	ALUMINUM




Accessories



Endcap



Dimensions



Installation





Details	
Material	Anodized Aluminum
Dimension	42x100 MM
Power Supply	To be selected according to LED strip length and power

PROFILE COLOR


LP.42100.S.B	BLACK
LP.42100.S.W	WHITE
LP.42100.S.A	ALUMINUM

PROFILE COVER

LP.42100.S.X.C	CLEAR
LP.42100.S.X.F	FROSTED
LP.42100.S.X.M	MILKY




Accessories



Endcap



Dimensions



Installation





Details	
Material	Anodized Aluminum
Dimension	70x170 MM
Power Supply	To be selected according to LED strip length and power

PROFILE COLOR

LP.70170.S.B	BLACK
LP.70170.S.W	WHITE
LP.70170.S.A	ALUMINUM

PROFILE COVER

LP.70170.S.X.C	CLEAR
LP.70170.S.X.F	FROSTED
LP.70170.S.X.M	MILKY



Accessories


LED Strip	Power supply	Fixing clamp and screws
		



Endcap




Dimensions



Details	
Material	Anodized Aluminum
Dimension	22x8.6 MM
Power Supply	To be selected according to LED strip length and power

Installation




PROFILE COLOR


LP.2209.S.B	BLACK
LP.2209.S.W	WHITE
LP.2209.S.A	ALUMINUM

PROFILE COVER

LP.2209.S.X.C	CLEAR	
LP.2209.S.X.F	FROSTED	
LP.2209.S.X.M	MILKY	














WALL Profiles

LP.3025.WALL	119
LP.3385.WALL	121
LP.9080.WALL	123
LP.2020.WALL	125
LP.2570.WALL	127
LP.24016	129
LP.21136	129


Accessories



Endcap




Dimensions





Details	
Material	Anodized Aluminum
Dimension	33x85 MM
Power Supply	To be selected according to LED strip length and power

Installation



PROFILE COLOR

LP.3385.WALL.B	BLACK
LP.3385.WALL.W	WHITE
LP.3385.WALL.A	ALUMINUM


PROFILE COVER

LP.3385.WALL.X.C	CLEAR
LP.3385.WALL.X.F	FROSTED
LP.3385.WALL.X.M	MILKY






Accessories



Endcap



Dimensions



All Dimensions are in millimeter

Installation





Details	
Material	Anodized Aluminum
Dimension	30x25 MM
Power Supply	To be selected according to LED strip length and power

PROFILE COLOR


LP.3025.WALL.B	BLACK
LP.3025.WALL.W	WHITE
LP.3025.WALL.A	ALUMINUM


PROFILE COVER

LP.3025.WALL.X.C	CLEAR
LP.3025.WALL.X.F	FROSTED
LP.3025.WALL.X.M	MILKY



Accessories






Endcap



Dimensions



Details	
Material	Anodized Aluminum
Dimension	90x95 MM
Power Supply	To be selected according to LED strip length and power

Installation



PROFILE COLOR

LP.9080.WALL.B	BLACK
LP.9080.WALL.W	WHITE
LP9080.WALL.A	ALUMINUM

PROFILE COVER

LP.9080.WALL.X.C	CLEAR
LP.9080.WALL.X.F	FROSTED
LP.9080.WALL.X.M	MILKY



Accessories


LED Strip	Power supply	Mounting clamp and screws
		



Endcap




Dimentions



Details	
Material	Anodized Aluminum
Dimension	ø20 MM
Power Supply	To be selected according to LED strip length and power

Installation



PROFILE COLOR

LP.2020.WALL.B	BLACK
LP.2020.WALL.W	WHITE
LP2020.WALL.A	ALUMINUM


PROFILE COVER

LP.2020.WALL.X.C	CLEAR	
LP.2020.WALL.X.F	FROSTED	
LP.2020.WALL.X.M	MILKY	







Endcap



Dimensions



Installation



Details	
Material	Anodized Aluminum
Dimension	70x25 MM
Power Supply	To be selected according to LED strip length and power

PROFILE COLOR


LP.2570.WALL.B	BLACK
LP.2570.WALL.W	WHITE
LP2570.WALL.A	ALUMINUM

PROFILE COVER

LP.2570.WALL.X.C	CLEAR
LP.2570.WALL.X.F	FROSTED
LP.2570.WALL.X.M	MILKY




Accessories

LED Strip	Fixing Brackets
	





Dimensions



Details

LP.24016	
Lighting source	5630 LED or 3014 LED
Color temp	2900-3200K / 6000-6500K
Material	Aluminum , PC
Size	Length (made-to-order)x31mm
Diffuser	Clear/Frosted/Milky


LP.21136	
Lighting source	5630 LED or 3014 LED
Color temp	2900-3200K / 6000-6500K
Material	Aluminum , PC
Size	Length (made-to-order)x130mm
Diffuser	Clear/Frosted/Milky

PROFILE COLOR

LP.24016.B	BLACK
LP.24016.W	WHITE
LP.24016.A	ALUMINUM

PROFILE COLOR

LP.21136.B	BLACK
LP.21136.W	WHITE
LP.21136.A	ALUMINUM
















PENDENT Profiles

LP 3015.P	133
LB 1301, LB 1302, LB 1303	135
LB 1304, LB 1305, LB 1306	137
LB 1307, LB 1308	139
LB 1309, LB 1310	141
LB 1311, LB 1312, LB 1313	143
LB 1314, LB 1315, LB 1316	145
LB 1317, LB 1318, LB 1319	147
LB 1320, LB 1321	149
LB 1357, LB 1358	149

Accessories


LED Strip	Power supply	Fixing Clamps and Screws
		




Endcap



Dimensions



Installation



PROFILE COLOR

LP.3015.P.B	BLACK
LP.3015.P.W	WHITE
LP.3015.P.A	ALUMINUM

Details	
Material	Anodized Aluminum
Dimension	30.8x15 MM
Power Supply	To be selected according to LED strip length and power





Features


- Constructed of thick extruded aluminum
- Removable aluminum cover to maintance ballast
- Suitable for T8 configurations
- Painted with a lighting grade baked white enamel
- Easy for lamp replacement and maintance



LED Tube



Dimensions



ENERGY SAVING 80%

Low energy compatible

LUXRAM®

Recommended

Art No	Power	Length(mm)	Width(mm)	Height(mm)
LB 1301	9W	635	143	112
LB 1302	18W	1245	143	112
LB 1303	22W	1543	143	112

Details	
Material	Extruded Aluminum
Dimension	Customized Length x 143 x 112
Tube	T8



Features


- Constructed of thick extruded aluminum
- Removable extruded aluminum cover to maintance ballast
- Extruded opal or transparent acrylic lens
- Suitable for T8 configurations
- Easy for lamp replacement and maintance



LED Tube



Dimensions



Low energy compatible
LUXRAM®
Recommended

Art No	Power	Length(mm)	Width(mm)	Height(mm)
LB 1304	9W	635	143	112
LB 1305	18W	1245	143	112
LB 1306	22W	1543	143	112

Details	
Material	Extruded Aluminum
Dimension	Customized Length x 143 x 112
Tube	T8



Features


- Constructed of thick extruded aluminum
- Die-formed heavy gauge cold rolled steel interior bracket to hold ballast
- Alanod 320G aluminum Parabolic louver locked by four clamping springs with tool-less design
- Optional joiner assembly for continuous runs
- Available in one and two lamps model
- Easy for lamp replacement and maintance



LED Tube



Dimensions



Low energy compatible
LUXRAM®
Recommended

Art No	Power	Length(mm)	Width(mm)	Height(mm)
LB 1307	9W	619	70	80
LB 1308	18W	1219	70	80

Details	
Material	Extruded Aluminum
Dimension	619/1219 x 70 x 80
Tube	T8



Features


- Constructed of thick extruded aluminum
- Die-formed heavy gauge cold rolled steel interior bracket to hold ballast
- Suitable for T5,T8 configurations
- Extruded opal or transparent acrylic lens
- Optional joiner assembly for continuous runs
- Available in one and two lamps model
- Easy for lamp replacement and maintance



LED Type



Dimensions



Low energy compatible
LUXRAM®
Recommended

Art No	Power	Length(mm)	Width(mm)	Height(mm)
LB 1309	9W	619	70	80
LB 1310	18W	1219	70	80


Details	
Material	Extruded Aluminum
Dimension	619/1219 x 70 x 80
Tube	T8





Features


- Constructed of thick extruded aluminum
- Suitable for T8 configurations
- Extruded opal or transparent acrylic lens
- Optional joiner assembly for continuous runs
- Available intwo lamps model
- Easy for lamp replacement and maintance



LED Tube



Dimensions



Low energy compatible
LUXRAM®
Recommended

Art No	Power	Length(mm)	Width(mm)	Height(mm)
LB 1311	9W	600	180	80
LB 1312	18W	1200	180	80
LB 1313	22W	1533	180	80

Details	
Material	Extruded Aluminum
Dimension	Customized Length x 180 x 80
Tube	T8




vodafone
vodafone
vodafone



Features


- Constructed of Die-formed heavy gauge cold rolled steel
- Suitable for T8 configurations
- Extruded opal or transparent acrylic lens
- Available in two lamps model
- Easy for lamp replacement and maintance



LED Type



Dimensions



Low energy compatible
LUXRAM®
Recommended

Art No	Power	Length(mm)	Width(mm)	Height(mm)
LB 1314	9W	616	166	52
LB 1315	18W	1216	166	52
LB 1316	22W	1514	166	52

Details	
Material	Extruded Aluminum
Dimension	Customized Length x 166 x 52
Tube	T8


arrived at
yrt on
yrt off
Catch
On

Features


- Constructed of thick extruded aluminum
- Alanod 320G aluminum Parabolic louver locked by four clamping springs with tool-less design
- Suitable for T8 configurations
- Available in two lamps model
- Easy for lamp replacement and maintance



LED Type



Dimensions



ENERGY 80% SAVING
Low energy compatible
LUXRAM®
Recommended

Art No	Power	Length(mm)	Width(mm)	Height(mm)
LB 1317	9W	606	235	65
LB 1318	18W	1206	235	65
LB 1319	22W	1504	235	65

Details	
Material	Extruded Aluminum
Dimension	Customized Length x 235 x 65
Tube	T8

Features


- Constructed of die-formed heavy gauge cold rolled steel
- Alanod 320G aluminum Parabolic louver locked by four clamping springs with tool-less design
- Suitable for T5,T8 configurations
- Available in three lamps model
- Easy for lamp replacement and maintance



LED Type



Dimensions



Low energy compatible
LUXRAM®
Recommended

Art No	Power	Length(mm)	Width(mm)	Height(mm)
LB 1320	9W	664	260	70
LB 1321	18W	1286	260	70
LB 1322	22W	1504	260	70


Details	
Material	Extruded Aluminum
Dimension	664/1286 x 1180 x 70
Tube	T8

Features

Connectable upto 1000meters
Easy Fitting, Simple Installation
CRI can achieve 85+
Different frame designs and colors are available
Dimmable compatible with Dali
Lighting sensors and motion sensors are optional
Frame Colors : Black/White/Aluminum



Dimensions




All Dimensions are in millimeter

LB 1357 - 85x55xCustomized
LB 1358 - 85x55xCustomized

LB 1357	
Power	15W
Color Temp	3000K-6500K
Beam Angle	120°
Lumen	3000
IP Rate	IP 20

LB 1358	
Power	30W
Color Temp	3000K-6500K
Beam Angle	120°
Lumen	3000
IP Rate	IP 20












LP.21610	153
LP.21620	153
LP.21630	153
LP.20905-558	154
LP.20905-858	154
LP.20905-1158	154

Accessories

LB 9912	Sensor	Power supply
		








LP.21610




LP.21620




LP.21630




LP.21610	
Lighting source	5630 LED or 3014 LED
Color temp	2900-3100K / 6000-6500K
Material	Aluminum , PC
Size	260mmxø20mm
Diffuser	Clear/Frosted/Milky
Finish	Black/White/Aluminum
Lumens	320-350LM
Power	4.5 W



LP.21620	
Lighting source	5630 LED or 3014 LED
Color temp	2900-3100K / 6000-6500K
Material	Aluminum , PC
Size	606mmxø20mmx95.6
Diffuser	Clear/Frosted/Milky
Finish	Black/White/Aluminum
Lumens	780-850LM
Power	10.8 W



LP.21630	
Lighting source	5630 LED or 3014 LED
Color temp	2900-3100K / 6000-6500K
Material	Aluminum , PC
Size	606mmxø20mmx268.6
Diffuser	Clear/Frosted/Milky
Finish	Black/White/Aluminum
Lumens	780-850LM
Power	10.8 W



LB20905-558_77x558mm
LB20905-858_77x858mm
LB20905-1158_77x1158mm





LP.20905-558	
Lighting source	5630 LED or 3014 LED
Color temp	2900-3100K / 6000-6500K
Material	Aluminum , PC
Size	77x558mm
Diffuser	Clear/Frosted/Milky
Finish	Black/White/Aluminum
Power Supply	DC 9V, 1.5 W


LP.20905-858	
Lighting source	5630 LED or 3014 LED
Color temp	2900-3100K / 6000-6500K
Material	Aluminum , PC
Size	77x858mm
Diffuser	Clear/Frosted/Milky
Finish	Black/White/Aluminum
Power Supply	DC 9V, 2.1 W


LP.20905-1158	
Lighting source	5630 LED or 3014 LED
Color temp	2900-3100K / 6000-6500K
Material	Aluminum , PC
Size	77x1158mm
Diffuser	Clear/Frosted/Milky
Finish	Black/White/Aluminum
Power Supply	DC 9V, 2.4 W














LP.31211.STEP	157
LP.31212.STEP	157
LP.8043.STEP	159
LP.3819.STEP	161
LP.4827.STEP	163
LP.3823.STEP	165
LP.5318.STEP	167
LP.5321.STEP	169

LP31211.STEP	
Lighting source	5050 LED
Color temp	2900-3100K / 6000-6500K
Material	Aluminum , PC
Size	Max length: 2 meters
Diffuser	Clear/Frosted/Milky
Finish	Anodized aluminium
Power	2.4W/4.8W/7.2W/14.4Wper mtr





LP.31212.STEP




LP.31211.STEP

LP31212.STEP	
Lighting source	5050 LED
Color temp	2900-3100K / 6000-6500K
Material	Aluminum , PC
Size	77x558mm
Diffuser	Clear/Frosted/Milky
Finish	AnodizedAluminium
Power Supply	2.4W/4.8W/7.2W/14.4Wper mtr
















Accessories

LED Strip	Power supply	Fixing screws
		

Endcap




Dimensions



All Dimensions are in millimeter

Installation






Details	
Material	Anodized Aluminum
Dimension	80x43 MM
Power Supply	To be selected according to LED strip length and power

PROFILE COLOR

LP.8043.STEP.B	BLACK
LP.8043.STEP.W	WHITE
LP.8043.STEP.A	ALUMINUM

PROFILE COVER

LP.8043.STEP.X.C	CLEAR
LP.8043.STEP.X.F	FROSTED
LP.8043.STEP.X.M	MILKY



Accessories


LED Strip	Power supply	Fixing screws
		



Endcap



Dimensions



Details	
Material	Anodized Aluminium
Dimension	37.4x18.5 MM
Power Supply	To be selected according to LED strip length and power

Installation




PROFILE COLOR

LP.3819.STEP.B	BLACK
LP.3819.STEP.W	WHITE
LP.3819.STEP.A	ALUMINUM

PROFILE COVER

LP.3819.STEP.X.C	CLEAR	
LP.3819.STEP.X.F	FROSTED	
LP.3819.STEP.X.M	MILKY	





Accessories


LED Strip	Power supply	Fixing screws
		



Endcap



Dimensions



Details	
Material	Anodized Aluminium
Dimension	48x27 MM
Power Supply	To be selected according to LED strip length and power

Installation



PROFILE COLOR


LP.4827.STEP.B	BLACK
LP.4827.STEP.W	WHITE
LP.4827.STEP.A	ALUMINUM

PROFILE COVER

LP.4827.STEP.X.C	CLEAR	
LP.4827.STEP.X.F	FROSTED	
LP.4827.STEP.X.M	MILKY	



Accessories






Endcap



Dimensions



Details	
Material	Anodized Aluminium
Dimension	38x23 MM
Power Supply	To be selected according to LED strip length and power

Installation



PROFILE COLOR

LP.3823.STEP.B	BLACK
LP.3823.STEP.W	WHITE
LP.3823.STEP.A	ALUMINUM


PROFILE COVER

LP.3823.STEP.X.C	CLEAR
LP.3823.STEP.X.F	FROSTED
LP.3823.STEP.X.M	MILKY






Accessories



Endcap




Dimensions



Installation





Details	
Material	Anodized Aluminum
Dimension	53x18 MM
Power Supply	To be selected according to LED strip length and power


PROFILE COLOR

LP.5318.STEP.B	BLACK
LP.5318.STEP.W	WHITE
LP.5318.STEP.A	ALUMINUM


PROFILE COVER

LP.5318.STEP.X.C	CLEAR
LP.5318.STEP.X.F	FROSTED
LP.5318.STEP.X.M	MILKY






Accessories



Endcap



Dimensions



Installation





Details	
Material	Anodized Aluminum
Dimension	53.5x21.5 MM
Power Supply	To be selected according to LED strip length and power

PROFILE COLOR

LP.5321.STEP.B	BLACK
LP.5321.STEP.W	WHITE
LP.5321.STEP.A	ALUMINUM

PROFILE COVER

LP.5321.STEP.X.C	CLEAR
LP.5321.STEP.X.F	FROSTED
LP.5321.STEP.X.M	MILKY















SHELVES Profiles


LP.31223	173
LP.31021	173
LP.3452	175
LP.6960	177

Installation




Diamension






LP.31223

Installation



Dimension





LP.31021

LP 31223	
Material	Aluminum/ 6063
Size	1000X30XH12MM
LED Strip	3528/5050 LED
Power	Based on length of LEDstrip
Glass	8MM


LP 31021	
Material	Aluminum/ 6063
Size	1000X12XH13MM
LED Strip	3528/5050 LED
Power	Based on length of LEDstrip
Glass	8MM






BELVEDERE
VODKA
ABSOLUT
CITRON
PATRON
GREY GOOSE
VODKA

Accessories






Endcap



Dimensions



Installation



PROFILE COLOR

LP.3452.STEP.B	BLACK
LP.3452.STEP.W	WHITE
LP.3452.STEP.A	ALUMINUM


Details	
Material	Anodized Aluminum
Dimension	34x52 MM
Power Supply	To be selected according to LED strip length and power


BELVEDERE
ABSOLUT
CITRON
ABSOLUT
VODKA
GREY GOOSE
VODKA
ABSOLUT
CITRON
PATRÓN






Accessories






Endcap



Dimensions



Installation



PROFILE COLOR


LP.6960.STEP.B	BLACK
LP.6960.STEP.W	WHITE
LP.6960.STEP.A	ALUMINUM

Details	
Material	Anodized Alumnum
Dimension	69x60 MM
Power Supply	To be selected according to LED strip length and power


HISTORIA SZTUKI
HISTORIA SZTUKI
HISTORIA SZTUKI
LCD
LG












JEWELRY STAND Profiles


LP.31223	181
LP.31223	183
LP.31223	185

Accessories


LED Strip	Power supply	Corner Connector
		



Endcap




Dimensions



All Dimensions are in millimeter

Details	
Material	Anodized Aluminum
Dimension	12x14 MM
Power Supply	To be selected according to LED strip length and power

Installation



PROFILE COLOR


LP.1214.J.B	BLACK
LP.1214.J.W	WHITE
LP.1214.J.A	ALUMINUM

PROFILE COVER

LP.1214.J.X.C	CLEAR	
LP.1214.J.X.F	FROSTED	
LP.1214.J.X.M	MILKY	




Accessories


LED Strip	Power supply	Corner Connector
		




Endcap



Dimensions



Installation



Details	
Material	Anodized Aluminum
Dimension	15.2x15.7 MM
Power Supply	To be selected according to LED strip length and power

PROFILE COLOR

LP.1516.J.B	BLACK
LP.1516.J.W	WHITE
LP.1516.J.A	ALUMINUM

PROFILE COVER

LP.1516.J.X.C	CLEAR	
LP.1516.J.X.F	FROSTED	
LP.1516.J.X.M	MILKY	



Accessories


LED Strip	Power supply	Corner Connector
		



Endcap




Dimensions



All Dimensions are in millimeter

Details	
Material	Anodized Aluminum
Dimension	21.2x15.6MM
Power Supply	To be selected according to LED strip length and power

Installation



PROFILE COLOR

LP.2115.J.B	BLACK
LP.2115.J.W	WHITE
LP.2115.J.A	ALUMINUM

PROFILE COVER

LP.2115.J.X.C	CLEAR	
LP.2115.J.X.F	FROSTED	
LP.2115.J.X.M	MILKY	









HAND RAIL Profiles

LP.31223	189


Accessories

LED Strip	Power supply	Fixing Brackets
		

Endcap



Dimensions





Details	
Material	Anodized Aluminum
Dimension	ø48 MM
Power Supply	To be selected according to LED strip length and power

Installation



PROFILE COLOR


LP.48.RAIL.B	BLACK
LP.48.RAIL.W	WHITE
LP.48.RAIL.A	ALUMINUM


PROFILE COVER


LP.48.RAIL.X.C	CLEAR	
LP.48.RAIL.X.F	FROSTED	
LP.48.RAIL.X.M	MILKY	











LP CN 0001


LP CN 0002


LP CN 0003


LP CN 0004



LP CN 0005


LP CN 0006



LP CN 0007


LP CN 0008


LP CN 0009



LP CN 0010



LP CN 0011



LP CN 0012



LP CN 0013




LP CN 0014




LP CN 0015

Art No	LED Type	Lumen	Power	CCT	Voltage	Current
LB 9945	12 LEDs	1596 lm	18 W	6500 K	37.2 V	500 mA
LB 9946	12 LEDs	1411 lm	18 W	2700 K	37.2 V	500 mA
LB 9947	12 LEDs	2600 lm	24 W	5000 K	35.3 V	700 mA
LB 9948	12 LEDs	2200 lm	24 W	2700 K	35.3 V	700 mA
LB 9949	12 LEDs	3050 lm	24 W	6500 K	34.8 V	700 mA
LB 9950	14 LEDs	125 lm	1 W	4500 K	24 V	__
LB 9951	14 LEDs	100 lm	1 W	3000 K	24 V	__
LB 9952	35 LEDs	310 lm	2.4 W	4500 K	24 V	__
LB 9953	35 LEDs	250 lm	2.4 W	3000 K	24 V	__
LB 9954	35 LEDs	960 lm	8 W	4000 K	24 V	350 mA
LB 9955	35 LEDs	890 lm	8 W	3000 K	24 V	350 mA
LB 9956	35 LEDs	960 lm	6.5 W	4000 K	19.6 V	700 mA
LB 9957	35 LEDs	890 lm	6.5 W	3000 K	19.6 V	700 mA
LB 9958	49 LEDs	780 lm	6.7 W	4500 K	24 V	__
LB 9959	49 LEDs	630 lm	6.7 W	3000 K	24 V	__
LB 9960	60 LEDs	1475 lm	__	4000 K	24 V	450 mA
LB 9961	60 LEDs	1275 lm	__	2700 K	24 V	450 mA
LB 9962	70 LEDs	1920 lm	16.5 W	4000 K	24 V	700 mA
LB 9963	70 LEDs	1780 lm	16.5 W	3000 K	24 V	700 mA
LB 9964	70 LEDs	1920 lm	13.5 W	4000 K	19.6 V	700 mA
LB 9965	70 LEDs	1780 lm	13.5 W	3000 K	19.6 V	700 mA



LB 9950


LB 9945


LB 9956


LB 9965


Art No	LED Type	Lumence	Power	CCT	Voltage	CRI
LB 9929	SMD 3014	3840 lm	48 W	2700K-6000K	12 V	80
LB 9930	SMD 3014	2400 lm	48 W	7000K-8000K	12 V	80
LB 9921	SMD 3014	8480 lm	106 W	2700K-6000K	24 V	80
LB 9908	SMD 3528	1920 lm	24 W	2700K-6000K	24 V	80
LB 9910	SMD 3528	4200 lm	48 W	3000K-5500K	24 V	80
LB 9912	SMD 5050	5760 lm	72 W	2700K-6000K	24 V	80
LB 9914	SMD 5050	___	24 W	RGB	24 V	80
LB 9922	SMD 5630	10400 lm	130 W	2700K-6000K	24 V	80
LB 9923	SMD 5630	5200 lm	65 W	2700K-6000K	24 V	80
LB 9966	SMD 3528 Double	8400 lm	96 W	3000K-5500K	24 V	80
LB 9967	SMD 5050 Double	11520 lm	144 W	2700K-6000K	24 V	80
LB 9968	SMD 3528 4Layer	16800 lm	192W	3000K-5500K	24 V	80
LB 9969	SMD 5050 4Layer	23040 lm	288 W	2700K-6000K	24 V	80
LB 9970	SMD 2835 4Layer	16800 lm	192W	3000K-5500K	24 V	80



LB 9908



LB 9912



LB 9967



LB 9968

Type	I/P Voltage	O/P Voltage	Power	IP	Efficiency	Current	Brand
LCU060/24D010	108-264 V	24 V	5-60 W	67	> 80%	0.33 A	Tridonic
LCU100/24D010	108-264 V	24 V	10-100 W	67	>85%	0.55 A	Tridonic
LCU150/24D010	108-264 V	24 V	20-150 W	67	>88%	.77 A	Tridonic
LED0010K301 24V	200-254 V	24 V	1-10 W	65	>80%	.085 A	Tridonic
0025K201 24V	198-254 V	24 V	25 W	20	>82%	.13 A	Tridonic
0025K210 24V	198-254 V	24 V	25 W	20	>82%	.13 A	Tridonic
0025K211 24V	198-254 V	24 V	3X8 W	20	>82%	.13 A	Tridonic
LCU035/24E020	108-264 V	24 V	35 W	20	>80%	.2 A	Tridonic
LCU060/24E020	108-264 V	24 V	60 W	20	>80%	.33 A	Tridonic
LCU100/24E020	108-264 V	24 V	100 W	20	>85%	.54 A	Tridonic
LCU150/24E020	108-264 V	24 V	150 W	20	>88%	.77 A	Tridonic









Dimmable

Type	Dimmer type	O/P Voltage	Weight	Current	I/P votage	Brand
C350-2	4 Ch PWM dimmer	3-19 V	0.15 Kg	1.5A	24-48V	Tridonic
C001	PWM Dimmer	12-24 V	0.2Kg	6 A	12-24V	Tridonic
C002	PWM Sequenzer	12-24 V	.084Kg	6A	12-24V	Tridonic
C004	PWM Booster	12-24 V	.1Kg	6A	12-24V	Tridonic

RGB Controller

Art No	I/P Voltage	Current	O/P Power	Fn Mode	Control	Wrk Temp
LT3-5A	12-24 VDC	5A/ChX3	180/360W	32 Modes	8Touch Buttons	-30°C-55°C
LT3600-3X6A	12-24 VDC	6A/ChX3	90/216/432W	16 Modes	8 Press Buttons	-30°C-55°C
LT3600RF-3X6A	5-24 VDC	6A/ChX3	90/216/432W	16 Modes	8 Press Buttons	-30°C-55°C
LT3900-3X6A	5-24 VDC	6A/ChX3	90/216/432W	32 Modes	8 Touch Buttons	-30°C-55°C
LT3900RF-3X6A	12-24 VDC	6A/ChX3	216/432W	32 Modes	8 Touch Buttons	-30°C-55°C
LT3900IR-3X6A	5-24 VDC	6A/ChX3	90/216/432W	32 Modes	8 Touch Buttons	-30°C-55°C

Constant Voltage LED Driver

Art No	Voltage	I/P Current	Power	Power Factor	Efficiency	Input Voltage
LT60W24V1C	24 V	60 W	310 mA	0.95	87%	220-240 V
LT20W24VUNI	24 V	20 W	110 mA	0.95	82%	100-240 V
LT60W24V	24 V	310 mA	60 W	0.95	87%	220-240 V

Profile cover Colour


Clear


Frosted


Milky

Profile color


Black


White


Aluminium

Upcoming Designs

LP.1814.S



PROFILE COLOR

LP.1814.S.B	BLACK
LP.1814.S.W	WHITE
LP.1814.S.A	ALUMINUM

PROFILE COVER

LP.1814.S.X.C	CLEAR
LP.1814.S.X.F	FROSTED
LP.1814.S.X.M	MILKY

LP.4351.SP



PROFILE COLOR

LP.4351.SP.B	BLACK
LP.4351.SP.W	WHITE
LP.4351.SP.A	ALUMINUM

PROFILE COVER

LP.4351.SP.X.C	CLEAR
LP.4351.SP.X.F	FROSTED
LP.4351.SP.X.M	MILKY

LP.1606.S



PROFILE COLOR

LP.1606.S.B	BLACK
LP.1606.S.W	WHITE
LP.1606.S.A	ALUMINUM

PROFILE COVER

LP.1606.S.X.C	CLEAR
LP.1606.S.X.F	FROSTED
LP.1606.S.X.M	MILKY

LP.5768.SP



PROFILE COLOR

LP.5768.SP.B	BLACK
LP.5768.SP.W	WHITE
LP.5768.SP.A	ALUMINUM

PROFILE COVER

LP.5768.SP.X.C	CLEAR
LP.5768.SP.X.F	FROSTED
LP.5768.SP.X.M	MILKY

LP.3015.S



PROFILE COLOR

LP.3015.S.B	BLACK
LP.3015.S.W	WHITE
LP.3015.S.A	ALUMINUM

PROFILE COVER

LP.3015.S.X.C	CLEAR
LP.3015.S.X.F	FROSTED
LP.3015.S.X.M	MILKY

LP.3021.S



PROFILE COLOR

LP.3021.S.B	BLACK
LP.3021.S.W	WHITE
LP.3021.S.A	ALUMINUM

PROFILE COVER

LP.3021.S.X.C	CLEAR
LP.3021.S.X.F	FROSTED
LP.3021.S.X.M	MILKY

LP.6610.S



PROFILE COLOR

LP.6610.S.B	BLACK
LP.6610.S.W	WHITE
LP.6610.S.A	ALUMINUM

PROFILE COVER

LP.6610.S.X.C	CLEAR
LP.6610.S.X.F	FROSTED
LP.6610.S.X.M	MILKY

LP.2210.S



PROFILE COLOR

LP.2210.S.B	BLACK
LP.2210.S.W	WHITE
LP.2210.S.A	ALUMINUM

PROFILE COVER

LP.2210.S.X.C	CLEAR
LP.2210.S.X.F	FROSTED
LP.2210.S.X.M	MILKY

LP.3108.S




PROFILE COLOR

LP.3108.S.B	BLACK
LP.3108.S.W	WHITE
LP.3108.S.A	ALUMINUM

PROFILE COVER

LP.3108.S.X.C	CLEAR
LP.3108.S.X.F	FROSTED
LP.3108.S.X.M	MILKY

LP.6024.S



PROFILE COLOR

LP.6024.S.B	BLACK
LP.6024.S.W	WHITE
LP.6024.S.A	ALUMINUM

PROFILE COVER

LP.6024.S.X.C	CLEAR
LP.6024.S.X.F	FROSTED
LP.6024.S.X.M	MILKY

LP.5108.S



PROFILE COLOR

LP.5108.S.B	BLACK
LP.5108.S.W	WHITE
LP.5108.S.A	ALUMINUM

PROFILE COVER

LP.5108.S.X.C	CLEAR
LP.5108.S.X.F	FROSTED
LP.5108.S.X.M	MILKY

LP.3630.S



PROFILE COLOR


LP.3630.S.B	BLACK
LP.3630.S.W	WHITE
LP.3630.S.A	ALUMINUM

PROFILE COVER

LP.3630.S.X.C	CLEAR
LP.3630.S.X.F	FROSTED
LP.3630.S.X.M	MILKY





















Linear Lighting



Inspired by lighting



HEAD OFFICE

Inspired Lighting LTD, Sefton Street, Heywood, OL10 2JF

T: 0844 844 7600 | C: 0884 4844 7699| W: www.lumibright.co.uk | E: sales@lumibrightled.com